

Petition to Initiate Rulemaking to Amend OAR 635-050-0070 to Permanently Close Commercial and Recreational Beaver Trapping and Hunting on Federally-Managed Public Lands and the Waters that Flows Through These Lands

Submitted on September 10, 2020

PETITION and PETITION APPENDICES
BIBLIOGRAPHY

[*Indicates citation was left out of the Petition by mistake. Topic related to citation identified. Document is provided]

Anderson, D. M. and M. J. Scott (1993). Valuing the Salmon Resource: Columbia River Stocks Under Climate Change and Fishery Enhancement. Prepared for the U.S. Department of Energy and the Pacific Northwest Laboratory, 6 pages.

Anlauf, K. J., K. K. Jones, and C. H. Stein. (2009). The status and trend of physical habitat and rearing potential in coho bearing streams in the Oregon coastal coho evolutionarily significant unit. Report OPSW-ODFW-2009-5. Oregon Dept. Fish and Wildlife, Salem

Bailey, J. A. (1984). Principles of wildlife management. John Wiley & Sons, Inc. New York, NY. pp. 306-309.

Bair, B. (2004). Stream Restoration Cost Estimates. *in* Proceedings of the Salmon Habitat Restoration Cost Workshop. pp. 104 – 113.

Beaver Deceivers (Vermont) <https://www.beaverdeceivers.com/> [Website]

The Beaver Restoration Guidebook: Working with Beaver to Restore Streams, Wetlands, and Floodplains, Pollock, M.M., G.M. Lewallen, K. Woodruff, C.E. Jordan and J.M. Castro (Editors) Version 2.0 (2017). United States Fish and Wildlife Service, Portland, Oregon. <https://www.beaverinstitute.org/education/beaver-basics/>

Beaver Solutions (Massachusetts) <https://www.beaversolutions.com/> [Website]

Beaver State Wildlife Solutions (Oregon) <http://www.beaverstatewildlifesolutions.com/> [Website]

Bell, K., D. Huppert, and R. Johnson. (2003). "Willingness to Pay for Local Coho Salmon Enhancement in Coastal Communities." *Marine Resource Economics*. 18: 15-31. <http://www.journals.uchicago.edu/doi/pdfplus/10.1086/mre.18.1.42629381>

Bouwes, N., N. Weber, C.E. Jordan, W. C. Saunders, I.A. Tattam, C. Volk, J. M. Wheaton, and M.M. Pollock. (2016). Ecosystem experiment reveals benefits of natural and simulated beaver dams to a threatened population of steelhead (*On-corhynchus mykiss*). *Scientific Reports*: 6:28581: doi: 10:1038/srep28581. pp. 1-13

Boyles, S. L. and Savitzky, B. A. (2008). An Analysis of the Efficacy and Comparative Costs of Using Flow Devices to Resolve Conflicts with North American Beavers Along Roadways in the Coastal Plain of Virginia. *Proceedings – Vertebrate Pest Conference*

Brouwer, R., I. Langford, I. Bateman, R. Turner. (1999). “A Meta-analysis of Wetland Contingent Valuation Studies.” *Regional Environmental Change*. 1(1):47-57.

Buckley, M.T., T. Soulhas, E. Niemi, E. Warren, and S. Reich. (2011). The economic value of beaver ecosystem services. *ECONorthwest* publication.

Bureau of Reclamation (BOR). (2008). Economics Technical Report for the Yakima River Basin: A Component of Yakima River Basin Water Storage Feasibility Study, Washington. Technical Series No. TS-YSS-23.

*Busher, P. E. and P. J. Lyons. Long-Term Population Dynamics of the North American Beaver, *Castor Canadensis*, on Quabbin Reservation, Massachusetts, and Sagehen Creek, California. *in Beaver Protection, Management, and Utilization in Europe and North America*, edited by Busher and Dzicilowski. Kluwer Academic / Plenum Publishers, New York, (1999). pp. 147-160.

[Petition, Table 1. The full Bucher and Lyons (1999) reference was left out of ending citations by mistake. Publication provided.]

Callahan, M. (2003). Beaver management study. *Association of Massachusetts Wetland Scientists Newsletter* 44:12-15.

Callahan, M. (2005). Best management practices for beaver problems. *Association of Massachusetts Wetland Scientists Newsletter* 53:12-14.

Callahan, M., Richard Berube F.E., and Isabel Tourkantonis P.W.S. (2019). *Billerica Municipal Beaver Management Program. 2000 - 2019 Analysis*. Assoc. of MA Wetland Scientists

Charnley, S. (2019). If you build it, they will come: ranching, riparian revegetation, and beaver colonization in Elko County, Nevada. *Res. Pap. PNW-RP-614*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 39 p.

Close, T. L. (2003). Modifications to the Clemson pond leveler to facilitate brook trout passage. *Minnesota Department of Natural Resources, Division of Fisheries*.

Cox, George W. (1997). Conservation Biology Concepts and Applications. Dubuque: McGraw Hill. pages 251-255.

Dean Runyan Associates. (2009). Fishing, Hunting, Wildlife Viewing, and Shellfishing in Oregon: 2008 State and County Expenditures Estimates. Prepared for the Oregon Department of Fish and Wildlife and Travel Oregon. 72p

Demmer, R. and Beschta, R. L. (2008). Recent History (1988 – 2004) of Beaver Dams along Bridge Creek in Central Oregon. Northwest Science, Vol. 82. No. 4, pp. 309 – 318

ECONorthwest and ESA. (2012). Yakima River Basin Integrated Water Resource Management Plan: Four Accounts Analysis of the Integrated Plan

EPA. (2015). Climate Change in the United States: Benefits of Global Action. United States Environmental Protection Agency, Office of Atmospheric Programs, EPA 430-R-15-001

Fairfax, E. (2019). Building Climate Resiliency in a Warming World: From Beaver Dams to Undergraduate Education. Dissertation, University of Colorado at Boulder
https://scholar.colorado.edu/concern/graduate_thesis_or_dissertations/jq085k07d

Fairfax, E. and Small, E.E. (2018). Using remote sensing to assess the impact of beaver damming on riparian evapotranspiration in an arid landscape. *Ecohydrology*. 2018;31993.
<https://doi.org/10.1002/eco.1993>, 14 p.

Fairfax, E. and A. Whittle. (2020). Smokey the Beaver: beaver-dammed riparian corridors stay green during wildfire throughout the western USA. *Ecological Applications*. 18p.

Hall, J. (1960). Willow and Aspen in the Ecology of Beaver on Sagehen Creek, California. *Ecology*, 41(3), 484-494. doi:10.2307/1933323

Helvoigt, T.L. and D. Charlton. (2009). The economic value of Rogue River salmon. ECONorthwest, Eugene, OR

Hood, G. A, V. Manaloor, and B. Dzioba. (2017). Mitigating infrastructure loss from beaver flooding: A cost-benefit analysis. *Human Dimensions of Wildlife*.
<https://doi.org/10.1080/10871209.2017.1402223>

*Howitt, R.E., Medellin-Azuara, J., MacEwan, D., Lund, J.R. and Sumner, D.A. (2014). Economic Analysis of the 2014 Drought for California Agriculture. Center for Watershed Sciences, University of California, Davis, California. 20p. <http://watershed.ucdavis.edu>

[Howitt et al (2014) reference belongs in Appendix F with the University of California_Davis_2014 citation. Reference left off by mistake. Publication provided.]

Hubble, J. (2012). Yakima River Basin Integrated Water Resource Management Plan, Final Programmatic Environmental Impact Statement, Fish Benefits Analysis Technical Memorandum. U.S. Bureau of Reclamation. June 2012.

[NOTE: incorrectly cited as Hubble, J. 2012 in Appendix F because incorrectly cited in the *Yakima River Basin Integrated Water Resource Management Plan: Framework for Implementation (October 2012)* as: Hubble, J. 2012. Yakima River Basin Integrated Water Resource Management Plan, Final Programmatic Environmental Impact Statement, Fish Benefits Analysis Technical Memorandum. U.S. Bureau of Reclamation. June 2012. However, the Fish Benefits Analysis Tech. Memorandum was completed in May 2011 via a joint effort of U.S. Bureau of Reclamation, HDR Engineering, and Anchor QEA under contract to Bureau of Reclamation. Hubble was the principle author of the publication and a BOR employee.

The correct citation would have been: Bureau of Reclamation (BOR). (2011). Yakima River Basin Study: Fish Benefits Analysis Technical Memorandum. Prepared by U.S. Bureau of Reclamation, HDR Engineering, Anchor QEA. Contract No. 08CA10677A ID/IQ, Plan of Study Task 7. May 2011. However, document identified as Hubble_2012_BOR_2011 for ease a locating.]

Huppert, D., G. Green, W. Beyers, A. Subkoviak, and A. Wenzl. (2004). Economics of Columbia River Initiative: Final Report to the Washington Department of Ecology and CRI [Columbia River Initiative] Economics Advisory Committee. 177p.

Jay W. Nicholas (1997). Oregon Coastal Salmon Restoration Initiative, state of Oregon, 1997.

Kebbe, C.E. (1960). Oregon's beaver story. Oregon State Game Commission Bulletin. February 1960. No. 2, Vol. 15: pp. 3-6.

Kokko, H. (2001). "Optimal and suboptimal use of compensatory responses to harvesting: timing of hunting as an example." *Wildlife Biology* (2020): 141-150.

*Laurel D. and E. Wohl. (2019). The persistence of beaver-induced geomorphic heterogeneity and organic carbon stock in river corridors. *Earth Surface Processes and Landforms*. Vol. 44, pp. 342-353.

[Laurel and Wohl (2019) reference should have been noted in the carbon capture and store discussion in the Petition. Citation left out by mistake. Publication provided.]

Layton, D., G. Brown, and M. Plummer. (1999). Valuing Multiple Programs to Improve Fish Populations. Washington State Department of Ecology. April.

Lewis D.J, Dundas S.J, Kling D.M, Lew D.K, and Hacker S.D. (2019). The non-market benefits of early and partial gains in managing threatened salmon. *PLoS ONE* 14(8): e0220260.
<https://doi.org/10.1371/journal.pone.0220260>

- Loomis, J. (2006). "Use of Survey Data to Estimate Economic Value and Regional Economic Effects of Fishery Improvements." *North American Journal of Fisheries Management*. 26:301–307, DOI: 10.1577/M05-116.1
- Loomis, J., P. Kent, L. Strange, K. Fausch and A. Covich. (2000). Measuring the total economic value of restoring ecosystem services in an impaired river basin: results from a contingent value survey. *Ecological Economics* 33, 103–117
- MacDonald, D. (1956). Beaver carrying capacity of certain mountain streams in North Park, Colorado. M.S. Thesis. Colorado Agricultural and Mechanical College, Fort Collins, CO. 126 p.
- Macfarlane W.W., M. D. Meier, C. Hafen, M. T. Albonico, M. A. Hallerud, and J. M. Wheaton. (2019a). John Day Basin Beaver Restoration Assessment Tool: Building Realistic Expectations for Partnering with Beaver in Restoration and Conservation. Prepared for the North Fork John Day Watershed Council. Logan, UT. 85 pages.
<https://usu.app.box.com/s/dmi4skjdekz1jzla7l9x302kgxzq79wd>
- Macfarlane W.W., Meier M.D., Hafen C, Albonico, M.T. and Wheaton J.M. (2019b). North Fork Burnt River Beaver Restoration Assessment Tool: Building Realistic expectations for part-nering with Beaver in Restoration and Conservation. Prepared for the Powder Basin Watershed Council. Logan, UT. 80 Pages.
<https://usu.app.box.com/s/ldptbyilj618n8yf0tnr7c2yroevc8v3/folder/62385758265>
- Macfarlane W.W., Wheaton, J. M., Bouwes, N. Jensen, M.L., Gilbert, J. T., Hough-Snee, N. and Shivik, J. A. (2017). Modeling the capacity of riverscapes to support beaver dams. *Geomorphology*, 277, 72-99.
- Mahoney, M. J. and J. C. Stella. (2020). Stem size selectivity is stronger than species preferences for beaver, a central place forager. *Forest Ecology and Management* 473. 118331. Pp. 1-12.
- Marshall, A. (2019). Climate change will mean more multiyear snow droughts in the West; The Conversation. <https://theconversation.com/climate-change-will-mean-more-multiyear-snow-droughts-in-the-west-121406> [incorrect year in Appendix F. Correct year is 2019, not 2020]
- McCreary, A. (2020). Beavers may be part of answer to climate changes: Local relocation project returns animals to natural habitat. *Methow Valley News*:
<https://methowvalleynews.com/2016/01/23/beavers-may-be-part-of-answer-to-climate-change/>
- Morgan-Hayes, A. (2018). Laws, regulations, and management plans to improve streamflow and stream temperature: a case study in the North Fork Burnt River Watershed. *MS Thesis, Oregon State University, Department of Natural Resources*.
https://ir.library.oregonstate.edu/concern/graduate_projects/rj430962j

Muller-Schwarze, D. and L. Sun. (2003). The Beaver: Natural History of a Wetlands Engineer. Comstock Publishing Associates. 190p. [Book, pages 65-78 provided]

Naiman, R. J., Johnston, C. A. and Johnston, J.C. (1988). Alteration of North American Streams by Beaver. BioSciences, Vol. 38, No. 11, pp. 753- 762. URL: <http://www.jstor.org/stable/1310784>

National Interagency Fire Center https://www.nifc.gov/fireInfo/fireInfo_statistics.html [Website]

Needham, M. D. and Morzillo, A. T. (2011). Landowner incentives and tolerances for managing beaver impacts in Oregon. Conducted for and in cooperation with: Oregon Department of Fish and Wildlife, Oregon Watershed Enhancement Board, and Bonneville Power Administration. 139p.

Nickelson, T. (2012). Futures Analysis for Wetlands Restoration in the Coquille River Basin: How many adult coho salmon might we expect to be produced? A Report to The Nature Conservancy. 16 p.

*Niemi, E. (2020). Bigger than Expected: Climate-Change Costs and Emission-Reduction Benefits. Working Paper 20-01. www.nreconomics.com

[Reference applies to Appendix F. Citation left out by mistake. Document provided.]

[NMFS_2009] National Marine Fisheries Service. (2009). Middle Columbia River Steelhead Distinct Population Segment ESA Recovery Plan. Prepared by National Marine Fisheries Service Northwest Region.

[NMFS and ODFW_2011] National Marine Fisheries Service, Northwest Region and Oregon Department of Fish and Wildlife. (2011). Recovery Plan for Upper Willamette River Chinook salmon and steelhead.

[NFMS_2013] National Marine Fisheries Service, Northwest Region. (2013). ESA Recovery Plan for Lower Columbia River Coho Salmon, Lower Columbia River Chinook Salmon, Columbia River Chum Salmon, and Lower Columbia River Steelhead.

[NMFS_2014] National Marine Fisheries Service. (2014). Final Recovery Plan for the Southern Oregon/Northern California Coast Evolutionarily Significant Unit of Coho Salmon (*Oncorhynchus kisutch*). National Marine Fisheries Service. Arcata, CA.

[NMFS_2016a] National Marine Fisheries Service. (2016a). Recovery Plan for Oregon Coast Coho Salmon Evolutionarily Significant Unit. National Marine Fisheries Service, West Coast Region, Portland, Oregon. Available at: <https://www.fisheries.noaa.gov/west-coast/endangered-species-conservation/oregon-coast-coho-salmon>.

[NMFS_2016b] National Marine Fisheries Service, (2016b). 5-Year Review: Summary & Evaluation of Oregon Coast Coho Salmon.
<https://www.fisheries.noaa.gov/resource/document/science-service-stewardship-2016-5-year-review-summary-evaluation-southern-oregon>

[NOAA and EPA_1998_Benner letter] NOAA and EPA letter to Richard Benner, director Oregon Department of Land Conservation (now Division of State Lands) and Landon Marsh, director of Oregon Department of Environmental Quality, Jan. 20, 1998.

[NOAA and EPA_2015_Rue_Pederson_letter] NOAA and EPA letter to Jim Rue, director Oregon Department of Land Conservation (now Division of State Lands) and Dick Pederson, director of Oregon Department of Environmental Quality, July 28, 2015

ODFW. (2005). The Importance of Beaver (*Castor Canadensis*) to Coho Habitat and Trend in Beaver Abundance in the Oregon Coast Coho ESU. p.1

ODFW. (2008). Oregon Plan for Salmon and Watersheds.

[Document is identified as ODFW (2008) in Petition. However, correct citation is: Romer, J. D, K. J. Anlauf, and K. K. Jones. 2008. Status of Winter Rearing Habitat in Four Coho Population Units, 2007. Monitoring Program Report Number OPSW-ODFW-2008-7, Oregon Department of Fish and Wildlife, Salem, OR].

ODFW. (2018). ODFW Information Report Series Number 2018-01: Winter Habitat Condition of Oregon Coast Coho Salmon Populations, 2007-2014. p.4.

ODFW. (2020a). Notice of Proposed Rulemaking including statement of need and fiscal impact

ODFW. (2020b). Oregon Furbearer Regulation Proposals: 2020-21 and 2021-2022. 33p.

ODFW. (2020)c. Living with Wildlife: American Beaver document
(https://www.dfw.state.or.us/wildlife/living_with/docs/beaver.pdf).

Olsen, D., J. Richards, and R. Scott. 1991. "Existence and Sport Values for Doubling the Size of Columbia River Basin Salmon and Steelhead Runs." *Rivers*. 2(1):44-56

Olson, R. and W. Hubert. (1994). Beaver: water resources and riparian manager. University of Wyoming, Laramie, WY.

Oregon Conservation Strategy. (2016). <https://www.oregonconservationstrategy.org/>
[Website]

Oregon Office of Economic Analysis. (2015). Oregon Economic and Revenue Forecast. September <https://digital.osl.state.or.us/islandora/object/osl%3A68323>

Pollock, M. M., Beechie, T. J. and Jordan, C. E. (2007). Geomorphic changes upstream of beaver dams in Bridge Creek, an incised stream channel in the interior Columbia River basin, eastern Oregon. *Earth Surface Processes and Landforms* 32, pp. 1174 – 1185.

Pollock, M.M., Beechie, T. J., Wheaton, J. M., Jordan, C. E., Bouwes, N., Weber, N., and Volk, C. (2014). Using Beaver Dams to Restore Incised Stream Ecosystems. *Biological Conservation* 64: 279- 290

Puttock, A., H. A. Graham, A. M. Cunliffe, M. Elliott, and R. E. Brazier. (2017). Eurasian beaver activity increases water storage, attenuates flow and mitigates diffuse pollution from intensively managed grasslands. *Science of the Total Environment*. pp. 430-443.

[Puttock et al (2017) should have been cited in the water quality discussion, in the stream flow discussion, and water storage sections. Citation left out by mistake. Publication provided]

Reeves, G. H., F. H. Everest, and T. E. Nickelson. (1989). Identification of physical habitats limiting the production of coho salmon in western Oregon and Washington. Gen. Tech. Rep. PNW-GTR-245. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 18 p.

Responsive Management. (2016). Oregon Residents' opinions on and values related to Oregon Department of Fish and Wildlife. Conducted for the Oregon Legislative Task Force on Funding for fish, wildlife and related outdoor recreation and education. 200p.

Saldi-Caromile, K., Bates, K., Skidmore, P., Barenti, J., & Pineo, D. (2004). Stream habitat restoration guidelines, Final draft. Washington Departments of Fish & Wildlife and Ecology, and the U.S. Fish and Wildlife Service. Olympia, WA.

Sedell et al (2000).

[Publication cited as Sedell et al (2002) in the Appendix F. Correct citation is: USDA Forest Service (2002). *Water & the Forest Service*. FS-660. Washington, DC.]

*Smith, D. W. and D. B. Tyers. (2008). The Beavers of Yellowstone. *Yellowstone Science*, 16 (3). Pp. 4-15.

[Petition, Table 1. The full Smith and Tyers (2008) reference was left out of ending citations by mistake. Publication provided.]

Status Review for Oregon Coast Coho Salmon (*Oncorhynchus kisutch*) (2011). Draft Revised Report of the Biological Review Team, Northwest Fisheries Science Center (May 16, 2011).

[The full citation for this reference in Appendix F is: Stout, H.A., P.W. Lawson, D. Bottom, T. Cooney, M. Ford, C. Jordan, R. Kope, L. Kruzic, G.Pess, G. Reeves, M. Scheuerell, T. Wainwright, R. Waples, L. Weitkamp, J. Williams and T. Williams. (2011). Scientific conclusions of the status review for Oregon Coast coho salmon (*Oncorhynchus kisutch*). Draft revised report of the Oregon Coast Coho Salmon Biological Review Team. NOAA/NMFS/NWFSC, Seattle, WA.]

[Stout et al_2012] Stout, H.A., P.W. Lawson, D.L. Bottom, T.D. Cooney, M.J. Ford, C.E. Jordan, R.G. Kope, L.M. Kruzic, G.R. Pess, G.H. Reeves, M.D. Scheuerell, T.C. Wainwright, R.S. Waples, E. Ward, L.A. Weitkamp, J.G. Williams, and T.H. Williams. (2012). Scientific conclusions of the status review for Oregon coast coho salmon (*Oncorhynchus kisutch*). U.S. Dept. Commer., NOAA Tech. Memo. NMFS-NWFSC-118, 242 p.

*Sutfin, N.A., E.E. Wohl, and K.A. Dwire. (2016). Banking carbon: a review of organic carbon storage and physical factors influencing retention in floodplains and riparian ecosystems. *Earth Surfaces Processes and Landforms*, Vol. 41, Issue 1. pp. 38-60.
<https://doi.org/10.1002/esp.3857>

[Stufin, Wohl, and Dwire (2016) reference should have been noted in the carbon capture and store discussion in the Petition. Citation left out by mistake. Publication provided.]

The Research Group. (2016). Oregon commercial fishing industry in 2015: Briefing report. With assistance from the Coastal Oregon Marine Experiment Station.
<http://www.dfw.state.or.us/agency/docs/OR%20Comm%20Fish%20Ec%20Impacts%20Brief%202015.pdf>

University of California, Davis (2014). California: drought and jobs. Rural Migration News, Volume 20, Number 3. July. <https://migration.ucdavis.edu/rmn/more.php?id=1832>

[US Magistrate Papak_2015] US Magistrate Paul Papak, Stipulated and proposed schedule, (July 1, 2015)

USDA Forest Service. (1995). Inland Native Fish Strategy (INFISH): Environmental Assessment: Decision Notice and Finding of No Significant Impact (*see Attachment A*)

USDA Forest Service and USDOJ Bureau of Land Management. (1995). (PACFISH) Decision Notice/Decision Record: Finding of No Significant Impact – Environmental Assessment for the Interim Strategies for Managing Anadromous Fish-producing Watersheds in Eastern Oregon and Washington, Idaho, and Portions of California (*see Appendix C*)

USDA Forest Service, Office of Sustainability and Climate. (2018). Potential drought impacts in the Pacific Northwest.

Vore, J. (1993). Guidelines for the Reintroduction of Beaver into Southwest Montana Streams. Montana Department of Fish, Wildlife, and Parks.

Walker, B., A. Parrish, M. Petersen, A. Martin, O. Moringstar, and K. Hall. (2010). The beaver solution: An innovative solution for water storage and increased late summer flows in the Columbia River Basin. The Lands Council, Grant #G0900156. 67pp.

Weber, M.A (2015) Navigating benefit transfer for salmon improvements in the Western US. *Frontiers in Marine Science* 2:74. doi: 10.3389/fmars.2015.00074

Weber, N., N. Bouwes, M. M. Pollock, C. Volk, J. M. Wheaton, and G. Wathen. (2017). Alteration of stream temperature by natural and artificial beaver dams. *PLoS ONE* 12(5): e0176313. [https://doi.org/ 10.1371/journal.pone.0176313](https://doi.org/10.1371/journal.pone.0176313);

Weitkamp, L. A., T. C. Wainwright, G. J. Bryant, G. B. Milner, D. J. Teel, R. G. Kope, and R. S. Waples. (1995). Status review of coho salmon from Washington, Oregon, and California. U.S. Dept. Commer., NOAA Tech. Memo. NMFS-NWFSC-24.

Williams, B. K., J. D. Nichols, and M. J. Conroy. (2001). Analysis and management of animal populations. Academic Press. New York, NY. pp. 227-232.

*Wohl, E. (2013). Landscape-scale carbon storage associated with beaver dams. *Geophysical Research Letters*, Vol. 40, 1-6.

[Wohl (2013) reference should have been cited in the carbon capture and store discussion in the Petition. Citation left out by mistake. Publication provided.]