

Oregon's Nearshore Commercial Fishery in 2009

Landing caps

- Black rockfish - 304,017 lbs (137.9 mt)
- Blue rockfish - 8,818 lbs (4.0 mt)
- Black/blue rockfish - 312,836 lbs (141.9 mt)
- Other Nearshore Rockfish - 31,526 lbs (14.2 mt) (excludes vermillion & tiger)
- Cabezon - 69,004 lbs (31.3 mt)
- Greenling - 51,588 lbs (23.4 mt)

January 1, 2009 period limits (period = 2 months) temp. rule

- Black/Blue rockfish
 - January/February - 800 lbs
 - March/April – 1000 lbs
 - May/June – 1,600 lbs
 - July/August – 1,600 lbs
 - September/October – 1,600 lbs
 - November/December – 800 lbs
- Other Nearshore Rockfish - 700 lbs/period
- Cabezon - 2,500 lbs/period
- Greenling - 450 lbs/period

March 1, 2009

- Greenling - 450 to 250 lbs/period

May 1, 2009 (permanent rule)

- Black/Blue rockfish
 - January/February - 800 lbs
 - March/April – 1,000 lbs
 - May/June – 1,600 lbs
 - July/August 1,600 lbs
 - September/October – 1,200
 - November/December – 1,000 lbs
- Other Nearshore Rockfish - 700 lbs/period
- Cabezon - 2,500 lbs/period
- Greenling
 - January/February - 450 lbs
 - 250 lbs/period 2, 3, 4, 5, 6

July 1, 2009

- Cabezon – 2,500 to 1,250 lbs/period
- Greenling - 250 lbs to 150 lbs/period

October 10, 2009

- Black/Blue rockfish – 15 lbs per day
 - Not to exceed 1,200 lbs/period 5 (Sept/Oct)
 - Not to exceed 400 lbs/period 6 (Nov/Dec)
- Cabezon - No retention

2009 Landings (using state landing records as of October 20, 2009)

Black rockfish – 294,793 lbs (133.7 mt) [97.0% of cap]
Blue rockfish – 5,269 lbs (2.4 mt) [59.8% of cap]
Black/Blue rockfish – 300,062 lbs (136.1 mt) [96.0% of cap]
Other nearshore rockfish – 24,315 lbs (11.0 mt) [77.1% of cap]
Cabezon – 65,332 lbs (29.6 mt) [94.6% of cap]
Greenling – 44,628 lbs (20.2 mt) [86.5% of cap]