

ABUNDANCE AND DISTRIBUTION OF FISH IN CITY OF PORTLAND STREAMS

FINAL REPORT 2001-03

VOLUME 2 – SUPPLEMENTAL MAPS

Prepared for:

City of Portland
Bureau of Environmental Services
Endangered Species Act Program
1120 SW Fifth Avenue, Room 1000
Portland, Oregon 97204



Prepared by:

Eric S. Tinus
James A. Koloszar
David L. Ward



Oregon Department of Fish and Wildlife
17330 S.E. Evelyn Street
Clackamas, OR 97015

December 2003

CONTENTS

	<u>PAGE</u>
OVERVIEW.....	ii
FIGURE 1 – Watersheds surveyed.....	1
FIGURE 2 - Miller Creek.....	2
FIGURE 3 – Balch Creek.....	3
FIGURE 4 – Stephens Creek.....	4
FIGURE 5 – Tryon Creek.....	5
FIGURE 6 – Johnson Creek, reaches 2-4.....	6
FIGURE 7 – Johnson Creek, reaches 6-8.....	7
FIGURE 8 – Johnson Creek, reaches 10-12.....	8
FIGURE 9 – Johnson Creek, reaches 14-16.....	9
FIGURE 10 – Crystal Springs Creek.....	10
FIGURE 11 – Kelley Creek.....	11

OVERVIEW

This volume contains GIS-based maps of streams surveyed, which indicate where we found salmonids and lampreys during surveys from 2001 through 2003. Salmonids include cutthroat trout *Oncorhynchus clarki*, rainbow/steelhead *O. mykiss*, Chinook salmon *O. tshawytscha*, and coho salmon *O. kisutch*. Each is indicated separately. Lampreys include Pacific lamprey *Lampetra tridentata* and western brook lamprey *L. richardsoni*. Because of the difficulty in identifying lamprey ammocoetes to species in the field, maps indicate the distribution of both species together.

Information is limited to these species because (1) they are native species sensitive to habitat perturbations, (2) they are of cultural, commercial, or recreational importance to humans, and (3) they are either listed, candidates to be listed, or petitioned to be listed under the federal Endangered Species Act.

Although Volume 1 of this Final Report contains detailed information concerning fish surveys conducted in City of Portland streams from 2001-03, maps in this volume are designed to provide, at a glance, a visual reference to the distribution of these important species. Information can be used as a baseline for comparison to findings from future surveys.




Figure 1. City of Portland streams surveyed from 2001-03. Watersheds for each stream are highlighted.



Figure 2. General distribution of salmonids and lampreys (Pacific lamprey and western brook lamprey) in Miller Creek, 2001-03. Only cutthroat trout were observed above Reach 1.




Figure 3. General distribution of salmonids in Balch Creek, 2001-03. Cutthroat trout were the only salmonid species observed. No lampreys were observed.

Stephens Creek Fish Survey Findings




Figure 4. General distribution of salmonids and lampreys (Pacific lamprey and western brook lamprey) in Stephens Creek, 2001-03. No fish were observed upstream from Reach 1.




Figure 5. General distribution of salmonids in Tryon Creek, 2001-03. No lampreys were observed.




Figure 6. General distribution of salmonids and lampreys (Pacific lamprey and western brook lamprey) in Johnson Creek, reaches 2-4 (only even-numbered reaches were surveyed), 2001-03.

Johnson Creek Fish Survey Findings: Reaches 6-8






Figure 7. General distribution of salmonids and lampreys (Pacific lamprey and western brook lamprey) in Johnson Creek, reaches 6-8 (only even-numbered reaches were surveyed), 2001-03.

Johnson Creek Fish Survey Findings: Reaches 10-12



WADSWORTH ODFW Survey Reaches	Species Observed
 Reach Breaks	 Cutthroat
 Unserved Tributaries	 Rainbow/Steelhead
	 Lamprey

Figure 8. General distribution of salmonids and lampreys (Pacific lamprey and western brook lamprey) in Johnson Creek, reaches 10-12 (only even-numbered reaches were surveyed), 2001-03.

Johnson Creek Fish Survey Findings: Reaches 14-16




Figure 9. General distribution of salmonids and lampreys (Pacific lamprey and western brook lamprey) in Johnson Creek, reaches 14-16 (only even-numbered reaches were surveyed), 2001-03.




Figure 10. General distribution of salmonids and lampreys (Pacific lamprey and western brook lamprey) in Crystal Springs Creek, Johnson Creek watershed, 2001-03.

Kelley Creek Fish Survey Findings: Reaches 1-2




Figure 11. General distribution of salmonids and lampreys (Pacific lamprey and western brook lamprey) in Kelley Creek, Johnson Creek watershed, 2001-03.