

Estimated Adult Salmon and Steelhead Harvest in Columbia River Fisheries 2000-2020

Year	Spring Chinook			Summer Chinook			Fall Chinook			Coho			Summer Steelhead ⁴		
	Sport ¹	Commercial ²	Treaty Indian ³	Sport ¹	Commercial ²	Treaty Indian ³	Sport ¹	Commercial ²	Treaty Indian ³	Sport ¹	Commercial ²	Treaty Indian ³	Sport ¹	Commercial ²	Treaty Indian ³
2000	322	6,800	11,352	1,092	0	209	21,500	13,770	52,100	24,337	164,905	6,300	23,107	0	15,500
2001	27,150	14,542	54,775	4,380	24	692	35,568	27,639	103,900	137,312	252,838	5,400	40,310	0	29,200
2002	23,963	25,411	33,465	6,016	55	2,093	50,906	42,905	129,700	11,968	168,185	1,600	30,034	0	13,800
2003	20,143	10,632	18,295	7,437	65	4,297	52,973	64,549	123,600	57,086	260,818	5,800	23,812	0	14,900
2004	27,584	23,645	17,484	7,225	220	8,394	45,282	53,248	127,600	18,462	115,375	10,300	15,143	0	14,600
2005	11,987	7,761	6,164	4,140	2,783	7,642	38,600	35,167	113,500	8,883	97,127	5,400	20,818	0	13,700
2006	8,803	11,519	8,401	9,083	4,822	16,319	21,387	28,307	76,290	6,601	64,584	7,577	25,110	0	21,130
2007	8,355	9,537	5,627	6,262	1,111	5,375	19,242	15,525	36,782	12,759	40,418	8,030	33,002	0	19,457
2008	22,801	9,351	20,561	5,645	1,417	9,029	27,787	41,495	106,625	13,445	60,092	21,625	15,790	0	26,339
2009	18,342	7,228	11,083	4,968	2,359	11,650	30,554	44,411	98,622	57,227	125,178	15,675	42,299	0	36,755
2010	36,555	33,318	37,815	5,768	4,686	15,569	40,390	49,382	132,642	12,321	76,234	11,485	22,591	0	26,733
2011	16,533	14,357	13,242	11,006	4,971	20,645	55,914	71,490	114,247	12,205	60,790	22,941	29,483	0	15,034
2012	17,626	15,596	16,302	7,062	1,676	7,824	60,059	56,320	82,879	10,155	16,968	7,070	19,497	0	15,211
2013	8,722	8,508	6,275	4,547	1,853	13,347	99,374	108,692	227,568	13,135	47,184	8,850	18,135	0	17,156
2014	21,696	6,665	24,684	4,503	2,758	19,179	91,667	121,511	264,458	71,005	237,103	40,480	20,974	0	25,551
2015	25,698	19,829	31,187	10,790	4,033	37,763	125,205	100,274	258,957	38,449	31,012	2,956	22,381	0	16,571
2016	16,755	13,327	17,066	7,191	3,027	20,515	65,574	66,778	132,167	14,234	30,093	6,114	12,540	0	13,555
2017	10,908	17,316	8,109	7,836	47	16,328	71,876	29,960	117,463	23,774	37,291	8,731	860	0	8,439
2018	9,540	10,890	10,892	4,391	24	9,498	31,052	13,848	54,653	7,436	10,818	4,526	2,340	0	6,208
2019	2,418	3,069	4,688	5,791	14	5,637	33,905	10,967	62,746	24,621	20,999	3,180	238	0	2,880
2020	2,536	4,137	4,378	6,073	13	8,410	55,403	35,326	101,076	10,094	44,333	15,015	272	0	9,411
10-Year Avg	13,243	11,369	13,682	6,919	1,842	15,915	69,003	61,517	141,621	22,511	53,659	11,986	12,672	0	13,002

¹ Spring Chinook harvest from sport fisheries below Bonneville Dam (mainstem and Select Area), mainstem from Bonneville Dam upstream to the Oregon-Washington state line, plus Washington waters of the mainstem lower Snake River. Summer Chinook harvest from mainstem sport fisheries from Astoria-Megler Bridge to Chief Joseph Dam, and Washington tributaries upstream of Priest Rapids Dam. Fall Chinook and Coho harvest from mainstem sport fisheries from Buoy 10 to Hwy 395 Bridge near Pasco, Washington, plus the Hanford Reach.

² Harvest from mainstem and Select Area commercial fisheries. Steelhead retention in non-treaty commercial fisheries prohibited since 1975.

³ Harvest from treaty commercial and ceremonial/subsistence fisheries. Spring Chinook, Summer Chinook, and Coho harvest includes jacks.

⁴ Upriver A- and B-Index summer steelhead.