

Oregon Furtaker License and Harvest Data

**Appendices are from the Staff Summary
at the
ODFW Commission Meeting
June 7, 2018
Baker City, Oregon**

**More information can be found on the ODFW Commission webpage
https://www.dfw.state.or.us/agency/commission/minutes/18/06_june/index.asp**

Appendices

| | | |
|--------------|--|-------|
| Appendix 1. | Trend in furtaker license sales, 1986–2017..... | 3 |
| Appendix 2. | Trend in license sales and reporting of effort for furbearers in Oregon, 2007–2017..... | 4 |
| Appendix 3. | Number of individuals purchasing record cards and number of record cards purchased for river otter, western bobcat, and eastern bobcat in Oregon, 1986–2017..... | 5 |
| Appendix 4. | Oregon bobcat catch per unit effort (Harvest/100 trap nights or days hunted) and average harvest per furtaker in Oregon. 1992–2016..... | 6 |
| Appendix 5. | Average pelt prices (rounded to nearest \$1.00) for selected furbearers from Oregon fur sales, 1983–2017 | 7 |
| Appendix 6. | Mean age of bobcat taken in Oregon, 1983–2016. | 8 |
| Appendix 7. | Percent of total bobcat taken by sex and percent adult, 1983–2016. | 9 |
| Appendix 8. | Number of furtakers taking specific numbers of bobcats in Oregon, 2002–2016. | 10 |
| Appendix 9. | Oregon gray and red fox catch per unit effort (Harvest/100 trap nights or days hunted) and average harvest per furtaker, 1995–2016. | 11 |
| Appendix 10. | Oregon beaver and muskrat catch per unit effort (Harvest/100 trap nights or days hunted) and average harvest per furtaker, 1995–2016. | 12 |
| Appendix 11. | Oregon river otter catch per unit effort (Harvest/100 trap nights or days hunted) and average harvest per furtaker, 1995–2016 | 13-14 |
| Appendix 12. | Oregon marten catch per unit effort (Harvest/100 trap nights or days hunted) and average harvest per furtaker, 1995–2016..... | 15 |
| Appendix 13. | Oregon mink and raccoon catch per unit effort (Harvest/100 trap nights or days hunted) and average harvest per furtaker, 1995–2016..... | 16 |
| Appendix 14. | Number of successful furtakers and number of animals taken by species in Oregon, 2000–2016..... | 17 |
| Appendix 15. | Number of Oregon furtakers reporting pursuit season effort and success (Animals treed/100 nights or days of pursuit), 2009–2016 | 18 |
| Appendix 16. | Number of bobcat and river otter CITES tags issued 1989-2016..... | 19 |
| Appendix 17. | Proportion of bobcat kits and yearlings taken in Oregon, 1983-2016 | 20 |

Appendix 1. Trend in Furtaker License sales, 1986–2017.

| Year | # of Licenses Sold for | | Total |
|------|------------------------|------------------|-------|
| | Furtaker | Furbearer Hunter | |
| 1986 | 2,052 | 865 | 2,917 |
| 1987 | 2,126 | 965 | 3,091 |
| 1988 | 1,641 | 935 | 2,576 |
| 1989 | 1,218 | 862 | 2,080 |
| 1990 | 908 | 766 | 1,674 |
| 1991 | 856 | 793 | 1,649 |
| 1992 | 906 | 871 | 1,777 |
| 1993 | 775 | 836 | 1,611 |
| 1994 | 863 | 930 | 1,793 |
| 1995 | 759 | 872 | 1,631 |
| 1996 | 826 | 881 | 1,707 |
| 1997 | 937 | 844 | 1,781 |
| 1998 | 847 | 799 | 1,646 |
| 1999 | 807 | 833 | 1,640 |
| 2000 | 767 | 813 | 1,580 |
| 2001 | 809 | 806 | 1,615 |
| 2002 | 891 | 924 | 1,815 |
| 2003 | 1,030 | 1,072 | 2,102 |
| 2004 | 1,140 | 1,098 | 2,238 |
| 2005 | 1,104 | 1,150 | 2,254 |
| 2006 | 1,247 | 1,309 | 2,556 |
| 2007 | 1,283 | 1,333 | 2,616 |
| 2008 | 1,377 | 1,405 | 2,782 |
| 2009 | 1,212 | 1,279 | 2,491 |
| 2010 | 1,147 | 1,206 | 2,353 |
| 2011 | 1,257 | 1,220 | 2,477 |
| 2012 | 1,341 | 1,150 | 2,491 |
| 2013 | 1,495 | 1,140 | 2,635 |
| 2014 | 1,271 | 1,068 | 2,339 |
| 2015 | 1,099 | 974 | 2,073 |
| 2016 | 967 | 884 | 1,851 |
| 2017 | 1,045 | 937 | 1,982 |

Appendix 2. Trend in license sales and reporting of effort for furbearers in Oregon, 2009–2017. *Values will change as late reports are received

| | 2009 | | 2010 | | 2011 | | 2012 | | 2013 | | 2014 | | 2015 | | 2016 | | 2017 | |
|---------------------------|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|
| | # | % | # | % | # | % | # | % | # | % | # | % | # | % | # | % | # | % |
| Fur Trap/Hunt | | | | | | | | | | | | | | | | | | |
| Licenses Sold | 1,216 | | 1,147 | | 1,257 | | 1,341 | | 1,495 | | 1,271 | | 1,099 | | 967 | | 1,045 | |
| Returning Reports | 1,121 | 92 | 1,057 | 93 | 1,016 | 81 | 1,128 | 84 | 1,283 | 86 | 1,019 | 80 | 913 | 83 | 719 | 75 | 805* | 77 |
| Reported On Time | 1,031 | 85 | 990 | 92 | 875 | 74 | 970 | 72 | 1,057 | 71 | 902 | 71 | 745 | 68 | 703 | 73 | 778 | 74 |
| Reported Did Hunt or Trap | 765 | 63 | 812 | 77 | 831 | 82 | 898 | 67 | 968 | 65 | 729 | 57 | 607 | 55 | 567 | 79 | | |
| Did Not Hunt or Trap | 356 | 30 | 249 | 24 | 185 | 19 | 230 | 17 | 319 | 21 | 290 | 23 | 307 | 28 | 153 | 22 | | |
| Reporting Harvest | 677 | 62 | 748 | 71 | 791 | 78 | 838 | 62 | 879 | 59 | 668 | 53 | 554 | 50 | 506 | 71 | | |
| Reporting No Harvest | 248 | 20 | 220 | 21 | 185 | 19 | 240 | 18 | 277 | 19 | 202 | 16 | 156 | 14 | 160 | 23 | | |
| Fur Hunt Only | | | | | | | | | | | | | | | | | | |
| Licenses Sold | 1,288 | | 1,206 | | 1,220 | | 1,150 | | 1,140 | | 1,068 | | 974 | | 884 | | 937 | |
| Returning Reports | 1,138 | 88 | 1,075 | 90 | 852 | 70 | 879 | 77 | 852 | 75 | 759 | 71 | 664 | 67 | 566 | 64 | 639* | 68 |
| Reported On Time | 1,170 | 91 | 1,090 | 86 | 786 | 61 | 772 | 67 | 725 | 61 | 646 | 60 | 558 | 57 | 560 | 63 | 618 | 66 |
| Reported did Hunt | 636 | 50 | 679 | 64 | 543 | 64 | 576 | 66 | 532 | 63 | 465 | 43 | 397 | 41 | 425 | 48 | | |
| Did Not Hunt | 502 | 39 | 396 | 37 | 309 | 37 | 303 | 35 | 320 | 38 | 294 | 27 | 268 | 28 | 144 | 16 | | |
| Reporting Harvest | 477 | 37 | 545 | 51 | 447 | 53 | 470 | 54 | 412 | 49 | 363 | 34 | 307 | 32 | 347 | 39 | | |
| Reporting No Harvest | 324 | 25 | 305 | 54 | 217 | 26 | 242 | 28 | 242 | 29 | 213 | 20 | 198 | 20 | 189 | 21 | | |
| Combined Totals | | | | | | | | | | | | | | | | | | |
| Licenses Sold | 2,504 | | 2,353 | | 2,477 | | 2,491 | | 2,635 | | 2,339 | | 2,073 | | 1,851 | | 1,982 | |
| Returning Reports | 2,260 | 90 | 2,134 | 93 | 1,870 | 76 | 2,010 | 81 | 2,121 | 80 | 1,782 | 76 | 1,512 | 77 | 1,285 | 70 | 1,441 | 73 |
| Reported On Time | 2,201 | 88 | 2,080 | 88 | 1,661 | 67 | 1,742 | 70 | 1,782 | 68 | 1,547 | 66 | 1,303 | 63 | 1,263 | 68 | 1,396 | 70 |
| Reported Did Hunt or Trap | 1,401 | 56 | 1,492 | 77 | 1,376 | 56 | 1,477 | 59 | 1,486 | 56 | 1,196 | 51 | 957 | 46 | 992 | 54 | | |
| Did Not Hunt or Trap | 859 | 34 | 646 | 24 | 494 | 20 | 533 | 21 | 639 | 24 | 586 | 25 | 557 | 27 | 297 | 33 | | |
| Reporting Harvest | 1,154 | 47 | 1,294 | 71 | 1,240 | 50 | 1,310 | 53 | 1,277 | 48 | 1,032 | 44 | 829 | 40 | 853 | 46 | | |
| Reporting No Harvest | 590 | 24 | 499 | 21 | 403 | 17 | 484 | 19 | 516 | 20 | 417 | 18 | 354 | 15 | 349 | 19 | | |

Appendix 3. Number of individuals purchasing record cards and number of record cards purchased for river otter, western bobcat, and eastern bobcat in Oregon, 1986–2017.

| Season | River Otter | | Western Bobcat | | Eastern Bobcat | |
|--------|------------------|-----------------|------------------|-----------------|------------------|-----------------|
| | # Individuals | # Tags/Cards | # Individuals | # Tags/Cards | # Individuals | # Tags/Cards |
| 1986 | 470 | 470 | 1,013 | 1,164 | 1,314 | 1,314 |
| 1987 | 502 | 502 | 1,053 | 1,205 | 1,417 | 1,471 |
| 1988 | 328 | 328 | 484 | 553 | 644 | 644 |
| 1989 | 326 | 331 | 666 | 692 | 858 | 858 |
| 1990 | 245 | 248 | 560 | 574 | 622 | 622 |
| 1991 | 264 | 271 | 588 | 605 | 583 | 583 |
| 1992 | 266 | 268 | 582 | 600 | 770 | 770 |
| 1993 | 265 | 276 | 599 | 616 | 613 | 613 |
| 1994 | 309 | 323 | 678 | 702 | 724 | 725 |
| 1995 | 286 | 297 | 609 | 626 | 646 | 646 |
| 1996 | 306 | 316 | 600 | 623 | 737 | 737 |
| 1997 | 355 | 362 | 676 | 715 | 737 | 737 |
| 1998 | 343 | 351 | 609 | 626 | 668 | 668 |
| 1999 | 314 | 322 | 593 | 611 | 723 | 723 |
| 2000 | 303 | 313 | 554 | 566 | 705 | 705 |
| 2001 | 340 | 348 | 556 | 572 | 748 | 749 |
| 2002 | 379 | 394 | 639 | 668 | 888 | 888 |
| 2003 | 409 | 429 | 676 | 730 | 1,155 | 1,155 |
| 2004 | 436 | 453 | 700 | 748 | 1,235 | 1,235 |
| 2005 | 421 | 440 | 711 | 752 | 1,259 | 1,259 |
| 2006 | 483 | 494 | 774 | 842 | 1,509 | 1,509 |
| 2007 | 467 | 474 | 821 | 855 | 1,498 | 1,498 |
| 2008 | 494 | 502 | 893 | 931 | 1,557 | 1,557 |
| 2009 | 480 | 492 | 856 | 882 | 1,287 | 1,287 |
| 2010 | 353 | 369 | 717 | 755 | 1,237 | 1,254 |
| 2011 | 370 | 381 | 744 | 790 | 1,375 | 1,421 |
| 2012 | 396 | 412 | 734 | 763 | 1,418 | 1,433 |
| 2013 | 422 | 442 | 758 | 806 | 1,517 | 1,535 |
| 2014 | 386 | 399 | 677 | 706 | 1,304 | 1,320 |
| 2015 | 329 | 334 | 658 | 674 | 1,100 | 1,101 |
| 2016 | 233 | 242 | 551 | 565 | 979 | 979 |
| 2017 | 257 | 270 | 561 | 577 | 1,117 | 1,117 |

Appendix 4. Oregon bobcat catch per unit effort (Harvest/100 trap nights or days hunted) and average harvest per furtaker in Oregon, 1997–2016. Data compiled from furtaker annual report where trap and/or hunt effort and take are reported.

| Area | Year | Trapping | | | Hunting | | | Combined | | |
|------|------|------------|---------------|------------------|------------|-------------|----------------|------------|-------------|-----------------|
| | | Total Take | # Trap Nights | Take /100 Nights | Total Take | # Hunt Days | Take /100 Days | Total Take | # Furtakers | Take / Furtaker |
| West | 1997 | 522 | 43,297 | 1.21 | 622 | 2,996 | 20.76 | 1,144 | 314 | 3.6 |
| | 1998 | 233 | 20,062 | 1.16 | 499 | 3,139 | 15.9 | 732 | 293 | 2.5 |
| | 1999 | 234 | 28,518 | 0.82 | 315 | 2,474 | 12.73 | 530 | 256 | 2.1 |
| | 2000 | 254 | 17,210 | 1.48 | 406 | 2,237 | 18.15 | 653 | 223 | 2.9 |
| | 2001 | 294 | 20,870 | 1.41 | 406 | 2,895 | 14.02 | 701 | 264 | 2.7 |
| | 2002 | 696 | 51,593 | 1.35 | 419 | 3,846 | 10.89 | 1,115 | 331 | 3.4 |
| | 2003 | 913 | 88,263 | 1.03 | 559 | 4,125 | 13.55 | 1,468 | 348 | 4.2 |
| | 2004 | 735 | 72,240 | 1.02 | 617 | 4,290 | 14.38 | 1,352 | 380 | 3.7 |
| | 2005 | 582 | 47,458 | 1.23 | 450 | 3,980 | 11.31 | 1,032 | 321 | 3.2 |
| | 2006 | 706 | 76,773 | 0.92 | 731 | 4,371 | 16.72 | 1,437 | 394 | 3.6 |
| | 2007 | 605 | 67,203 | 0.90 | 502 | 4,155 | 12.08 | 1,107 | 391 | 2.8 |
| | 2008 | 485 | 48,748 | 0.99 | 449 | 4,519 | 9.94 | 934 | 387 | 2.4 |
| | 2009 | 428 | 59,962 | 0.71 | 438 | 4,095 | 10.7 | 866 | 385 | 2.3 |
| | 2010 | 557 | 50,034 | 1.11 | 574 | 4,410 | 13.02 | 1,131 | 352 | 3.2 |
| | 2011 | 643 | 78,626 | 0.82 | 671 | 3,888 | 17.26 | 1,314 | 355 | 3.7 |
| | 2012 | 523 | 70,392 | 0.74 | 603 | 4,564 | 13.21 | 1,126 | 339 | 3.3 |
| | 2013 | 565 | 62,947 | 0.90 | 739 | 4,482 | 16.49 | 1,304 | 358 | 3.6 |
| 2014 | 395 | 50,635 | 0.78 | 447 | 3,721 | 12.01 | 842 | 298 | 2.8 | |
| 2015 | 245 | 29,849 | 0.82 | 338 | 2,696 | 12.54 | 583 | 218 | 2.7 | |
| 2016 | 174 | 15,528 | 1.12 | 593 | 3,803 | 15.59 | 767 | 230 | 3.3 | |
| East | 1997 | 591 | 80,923 | 0.73 | 386 | 2,725 | 14.17 | 977 | 436 | 2.2 |
| | 1998 | 425 | 49,206 | 0.86 | 318 | 2,331 | 13.64 | 743 | 362 | 2.1 |
| | 1999 | 427 | 50,764 | 0.84 | 429 | 2,804 | 15.3 | 842 | 394 | 2.1 |
| | 2000 | 413 | 52,899 | 0.78 | 440 | 2,809 | 15.66 | 853 | 846 | 1.0 |
| | 2001 | 426 | 55,327 | 0.77 | 505 | 2,969 | 17.01 | 915 | 422 | 2.2 |
| | 2002 | 659 | 92,566 | 0.71 | 516 | 3,598 | 14.34 | 1,159 | 520 | 2.2 |
| | 2003 | 906 | 125,100 | 0.72 | 911 | 5,515 | 16.52 | 1,804 | 706 | 2.6 |
| | 2004 | 1,306 | 234,180 | 0.56 | 834 | 5,454 | 15.29 | 2,169 | 737 | 2.9 |
| | 2005 | 1,274 | 229,600 | 0.56 | 797 | 5,484 | 14.33 | 2,071 | 989 | 3.0 |
| | 2006 | 1,744 | 334,518 | 0.52 | 1,267 | 7,140 | 17.75 | 3,011 | 909 | 3.3 |
| | 2007 | 1,089 | 238,464 | 0.46 | 896 | 6,367 | 14.07 | 1,985 | 802 | 2.5 |
| | 2008 | 729 | 208,973 | 0.35 | 607 | 5,733 | 10.59 | 1,336 | 730 | 1.8 |
| | 2009 | 657 | 182,204 | 0.36 | 461 | 5,129 | 8.99 | 1,118 | 624 | 1.8 |
| | 2010 | 1,015 | 200,298 | 0.51 | 880 | 6,165 | 14.23 | 1,895 | 750 | 2.5 |
| | 2011 | 1,292 | 305,806 | 0.43 | 856 | 5,602 | 15.28 | 2,148 | 732 | 2.9 |
| | 2012 | 1,204 | 269,009 | 0.45 | 980 | 6,499 | 15.08 | 2,184 | 825 | 2.7 |
| | 2013 | 1,065 | 338,704 | 0.31 | 731 | 5,437 | 13.44 | 1,796 | 778 | 2.3 |
| 2014 | 771 | 218,920 | 0.35 | 516 | 3,567 | 14.47 | 1,287 | 581 | 2.2 | |
| 2015 | 484 | 107,105 | 0.45 | 476 | 3,181 | 14.96 | 960 | 425 | 2.3 | |
| 2016 | 534 | 73,005 | 0.73 | 615 | 3,702 | 16.61 | 1,149 | 457 | 2.5 | |

Appendix 5. Average pelt prices (rounded to nearest \$1.00) for selected furbearers from Oregon fur sales, 1955–2017. Prices are not corrected for inflation.

| Season | Beaver | Western Bobcat | Eastern Bobcat | Statewide Bobcat Average | Gray Fox | Red Fox | Marten | Mink | Muskrat | Riv. Otter | Raccoon |
|--------|--------|----------------|----------------|--------------------------|----------|---------|--------|------|---------|------------|---------|
| 1983 | \$12 | | | \$120 | \$31 | \$34 | \$30 | \$12 | \$3 | \$35 | \$17 |
| 1984 | \$15 | | | \$152 | \$25 | \$36 | \$31 | \$13 | \$3 | \$18 | \$17 |
| 1985 | \$18 | | | \$148 | \$18 | \$20 | \$23 | \$10 | \$2 | \$23 | \$17 |
| 1986 | \$21 | | | \$233 | \$32 | \$28 | \$35 | \$17 | \$4 | \$29 | \$20 |
| 1987 | \$13 | | | \$157 | \$26 | \$18 | \$39 | \$19 | \$3 | \$11 | \$11 |
| 1988 | \$12 | | | \$99 | \$13 | \$12 | \$41 | \$16 | \$1 | \$27 | \$4 |
| 1989 | \$11 | \$26 | \$105 | \$52 | \$6 | \$12 | \$24 | \$13 | \$1 | \$27 | \$6 |
| 1990 | \$8 | \$26 | \$71 | \$50 | \$6 | \$10 | \$26 | \$12 | \$1 | \$21 | \$3 |
| 1991 | \$10 | \$51 | \$145 | \$79 | \$9 | \$14 | \$31 | \$12 | \$2 | \$36 | \$8 |
| 1992 | \$7 | \$26 | \$72 | \$47 | \$8 | \$11 | \$17 | \$10 | \$1 | \$40 | \$5 |
| 1993 | \$21 | \$32 | \$107 | \$66 | \$11 | \$14 | \$15 | \$11 | \$2 | \$65 | \$8 |
| 1994 | \$12 | \$24 | \$62 | \$24 | \$8 | \$18 | \$16 | \$7 | \$2 | \$48 | \$6 |
| 1995 | \$20 | \$27 | \$59 | \$44 | \$9 | \$18 | \$19 | \$12 | \$3 | \$48 | \$11 |
| 1996 | \$26 | \$50 | \$126 | \$79 | \$11 | \$20 | \$22 | \$12 | \$3 | \$42 | \$14 |
| 1997 | \$16 | \$23 | \$60 | \$42 | \$7 | \$11 | \$16 | \$9 | \$2 | \$40 | \$10 |
| 1998 | \$12 | \$23 | \$62 | \$42 | \$9 | \$13 | \$13 | \$6 | \$1 | \$36 | \$4 |
| 1999 | \$11 | \$26 | \$56 | \$41 | \$6 | \$15 | \$18 | \$7 | \$2 | \$50 | \$7 |
| 2000 | \$13 | \$39 | \$84 | \$61 | \$12 | \$18 | \$19 | \$7 | \$2 | \$62 | \$7 |
| 2001 | \$10 | \$17 | \$88 | \$75 | \$6 | \$28 | \$15 | \$7 | \$3 | \$61 | \$8 |
| 2002 | \$11 | \$92 | \$181 | \$139 | \$9 | \$29 | \$21 | \$7 | \$2 | \$94 | \$6 |
| 2003 | \$14 | \$51 | \$176 | \$117 | \$17 | \$23 | \$17 | \$7 | \$2 | \$94 | \$8 |
| 2004 | \$17 | \$46 | \$166 | \$114 | \$12 | \$21 | \$19 | \$8 | \$2 | \$94 | \$8 |
| 2005 | \$21 | \$109 | \$237 | \$182 | \$24 | \$24 | - | \$11 | \$3 | \$98 | \$8 |
| 2006 | \$18 | \$72 | \$221 | \$114 | \$33 | \$20 | \$23 | \$10 | \$3 | \$65 | \$7 |
| 2007 | \$20 | \$118 | \$413 | \$265 | \$36 | \$21 | \$32 | \$15 | \$3 | \$55 | \$16 |
| 2008 | \$17 | \$53 | \$216 | \$134 | \$17 | \$18 | \$31 | \$9 | \$3 | \$51 | \$8 |
| 2009 | \$19 | \$67 | \$289 | \$178 | \$19 | \$21 | \$22 | \$11 | \$6 | \$49 | \$10 |
| 2010 | \$17 | \$121 | \$414 | \$267 | \$23 | \$24 | \$32 | \$13 | \$8 | \$64 | \$10 |
| 2011 | \$21 | \$88 | \$414 | \$291 | \$27 | \$47 | . | \$14 | \$9 | \$90 | \$7 |
| 2012 | \$17 | \$158 | \$665 | \$493 | \$36 | \$56 | \$67 | \$19 | \$10 | \$70 | \$9 |
| 2013 | \$20 | \$49 | \$351 | \$255 | \$27 | \$33 | \$40 | \$9 | \$9 | \$76 | \$6 |
| 2014 | \$14 | \$48 | \$249 | \$195 | \$18 | \$26 | \$28 | \$11 | \$5 | \$66 | \$6 |
| 2015 | \$11 | \$43 | \$252 | \$211 | \$11 | \$19 | \$20 | \$6 | \$2 | \$60 | \$4 |
| 2016 | \$12 | \$104 | \$441 | \$349 | \$17 | \$31 | \$38 | \$13 | \$4 | \$59 | \$6 |
| 2017 | \$11 | \$54 | \$214 | \$231 | \$13 | \$20 | \$27 | \$27 | \$2 | \$57 | \$6 |

Appendix 6. Mean age of bobcat taken in Oregon 1983–2016. Information from the ODFW Wildlife Health and Population Lab, data obtained from surrendered bobcat jaws.

| Season | Eastern Oregon | Western Oregon |
|--------|----------------|----------------|
| 1983 | 2.4 | 2.6 |
| 1984 | 2.6 | 2.6 |
| 1985 | 2.7 | 2.6 |
| 1986 | 2.9 | 2.6 |
| 1987 | 2.6 | 2.2 |
| 1988 | 2.1 | 1.9 |
| 1989 | 2.5 | 2.4 |
| 1990 | 2.0 | 2.3 |
| 1991 | 2.0 | 3.0 |
| 1992 | 2.2 | 3.2 |
| 1993 | 2.6 | 3.4 |
| 1994 | 2.4 | 3.5 |
| 1995 | 2.5 | 3.8 |
| 1996 | 2.9 | 3.9 |
| 1997 | 3.1 | 4.1 |
| 1998 | 2.9 | 3.6 |
| 1999 | 2.6 | 3.8 |
| 2000 | 2.9 | 4.0 |
| 2001 | 3.0 | 3.9 |
| 2002 | 3.0 | 3.9 |
| 2003 | 2.8 | 3.7 |
| 2004 | 2.5 | 3.6 |
| 2005 | 2.1 | 3.7 |
| 2006 | 2.1 | 3.5 |
| 2007 | 2.6 | 3.7 |
| 2008 | 3.3 | 4.1 |
| 2009 | 2.9 | 3.9 |
| 2010 | 2.3 | 3.6 |
| 2011 | 2.4 | 3.8 |
| 2012 | 2.3 | 3.5 |
| 2013 | 2.8 | 3.7 |
| 2014 | 3.0 | 3.0 |
| 2015 | 2.2 | 3.1 |
| 2016 | 2.1 | 3.1 |

Appendix 7. Percent of total bobcat taken by sex and percent adult (≥ 3 years of age), 1983–2016.
 Information from the ODFW Wildlife Health and Population Lab, data obtained from
 surrendered bobcat jaws.

| Season | Eastern Oregon | | | | Western Oregon | | | |
|--------|----------------|---------------------|----------|--------------------------|----------------|---------------------|----------|--------------------------|
| | % Male | Of Males % Adult | % Female | Of Females % Adult | % Male | Of Males % Adult | % Female | Of Females % Adult |
| 1983 | 52 | 36 | 48 | 45 | 51 | 46 | 49 | 45 |
| 1984 | 54 | 43 | 46 | 45 | 53 | 39 | 47 | 39 |
| 1985 | 51 | 42 | 49 | 43 | 52 | 36 | 48 | 42 |
| 1986 | 49 | 49 | 51 | 40 | 48 | 45 | 52 | 41 |
| 1987 | 50 | 40 | 50 | 32 | 54 | 27 | 46 | 29 |
| 1988 | 46 | 24 | 54 | 24 | 54 | 21 | 46 | 22 |
| 1989 | 54 | 34 | 46 | 24 | 56 | 36 | 44 | 31 |
| 1990 | 52 | 35 | 48 | 24 | 55 | 36 | 45 | 29 |
| 1991 | 53 | 29 | 47 | 21 | 57 | 58 | 43 | 47 |
| 1992 | 52 | 34 | 48 | 27 | 56 | 61 | 44 | 57 |
| 1993 | 53 | 47 | 47 | 34 | 62 | 63 | 38 | 58 |
| 1994 | 53 | 45 | 47 | 38 | 59 | 63 | 41 | 56 |
| 1995 | 52 | 46 | 48 | 35 | 57 | 67 | 43 | 53 |
| 1996 | 55 | 47 | 45 | 42 | 57 | 64 | 43 | 55 |
| 1997 | 57 | 49 | 43 | 40 | 54 | 63 | 46 | 59 |
| 1998 | 57 | 43 | 43 | 37 | 57 | 56 | 43 | 44 |
| 1999 | 55 | 38 | 45 | 33 | 58 | 61 | 42 | 48 |
| 2000 | 59 | 42 | 41 | 37 | 61 | 62 | 39 | 50 |
| 2001 | 51 | 46 | 49 | 40 | 59 | 64 | 41 | 54 |
| 2002 | 55 | 55 | 45 | 40 | 61 | 59 | 39 | 53 |
| 2003 | 58 | 43 | 42 | 34 | 58 | 59 | 42 | 49 |
| 2004 | 54 | 36 | 46 | 29 | 57 | 59 | 43 | 50 |
| 2005 | 57 | 29 | 43 | 26 | 53 | 54 | 47 | 51 |
| 2006 | 55 | 27 | 45 | 23 | 58 | 53 | 42 | 49 |
| 2007 | 54 | 34 | 46 | 33 | 54 | 64 | 46 | 56 |
| 2008 | 54 | 54 | 46 | 52 | 57 | 70 | 43 | 61 |
| 2009 | 53 | 54 | 47 | 45 | 53 | 60 | 47 | 57 |
| 2010 | 56 | 32 | 44 | 31 | 56 | 53 | 44 | 48 |
| 2011 | 57 | 26 | 43 | 25 | 57 | 58 | 43 | 48 |
| 2012 | 56 | 26 | 44 | 28 | 54 | 54 | 46 | 49 |
| 2013 | 54 | 43 | 46 | 40 | 56 | 63 | 44 | 54 |
| 2014 | 55 | 50 | 45 | 49 | 56 | 47 | 44 | 38 |
| 2015 | 55 | 35 | 45 | 27 | 59 | 43 | 41 | 52 |
| 2016 | 59 | 24 | 41 | 26 | 56 | 49 | 43 | 42 |

Appendix 8. Number of furtakers taking specific numbers of bobcats in Oregon, 2006–2016. Data compiled from furtaker annual report where harvest is reported.

| Area | # Taken | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|---------|---------|------|------|------|------|------|------|------|------|------|------|------|
| Western | 1 | 109 | 105 | 109 | 105 | 95 | 123 | 89 | 97 | 103 | 62 | 65 |
| Oregon | 2 | 40 | 40 | 41 | 38 | 46 | 44 | 48 | 44 | 36 | 33 | 37 |
| | 3 | 27 | 30 | 23 | 22 | 20 | 26 | 31 | 32 | 21 | 19 | 21 |
| | 4 | 17 | 24 | 25 | 21 | 23 | 17 | 17 | 26 | 13 | 9 | 30 |
| | 5 | 19 | 10 | 18 | 13 | 11 | 15 | 13 | 16 | 14 | 12 | 9 |
| | 6 | 15 | 7 | 9 | 8 | 13 | 20 | 19 | 16 | 13 | 6 | 7 |
| | 7 | 5 | 11 | 8 | 5 | 11 | 15 | 8 | 7 | 5 | 5 | 6 |
| | 8 | 13 | 2 | 4 | 9 | 3 | 4 | 5 | 11 | 5 | 6 | 3 |
| | 9 | 9 | 5 | 3 | 1 | 2 | 6 | 6 | 8 | 2 | 3 | 3 |
| | 10 | 6 | 7 | 4 | 1 | 4 | 4 | 6 | 1 | 4 | 3 | 4 |
| | 11 | 6 | 2 | 1 | 1 | 3 | 1 | 3 | 4 | 0 | 2 | 4 |
| | 12 | 5 | 5 | 2 | 4 | 7 | 6 | 1 | 3 | 1 | 1 | 0 |
| | 13 | 3 | 4 | 1 | 4 | 3 | 4 | 6 | 2 | 3 | 1 | 0 |
| | 14 | 3 | 1 | 2 | 2 | 3 | 1 | 2 | 0 | 0 | 0 | 0 |
| | 15 | 2 | 4 | 1 | 0 | 5 | 2 | 2 | 5 | 2 | 1 | 1 |
| | >15 | 18 | 9 | 9 | 7 | 10 | 15 | 8 | 15 | 8 | 3 | 7 |
| Total | | 297 | 266 | 261 | 242 | 259 | 303 | 264 | 287 | 230 | 166 | 197 |
| Eastern | 1 | 264 | 276 | 202 | 163 | 221 | 190 | 225 | 214 | 176 | 118 | 121 |
| Oregon | 2 | 152 | 147 | 111 | 91 | 127 | 131 | 180 | 136 | 96 | 67 | 104 |
| | 3 | 110 | 108 | 78 | 65 | 95 | 106 | 130 | 104 | 78 | 65 | 69 |
| | 4 | 98 | 83 | 69 | 45 | 75 | 110 | 90 | 91 | 65 | 42 | 32 |
| | 5 | 87 | 51 | 91 | 83 | 169 | 188 | 172 | 130 | 89 | 72 | 103 |
| | 6 | 59 | 53 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 169 | 69 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| | >7 | 28 | 21 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 |
| Total | | 967 | 808 | 552 | 448 | 687 | 726 | 806 | 676 | 505 | 364 | 429 |

Appendix 9. Oregon gray and red fox catch per unit effort (Harvest/100 trap nights or days hunted) and average harvest per furtaker, 1997–2016. Data compiled from furtaker annual report where harvest and effort is reported. Take values exclude reports without reported effort, but occur in Appendix 14.

| Species | Year | Trapping | | | Hunting | | | Combined | | |
|----------|------|------------|---------------|------------------|------------|-------------|----------------|------------|-----------------|-----------------|
| | | Total Take | # Trap Nights | Take /100 Nights | Total Take | # Hunt Days | Take /100 Days | Total Take | Total Furtakers | Take / Furtaker |
| Gray Fox | 1997 | 114 | 4,970 | 2.29 | 31 | 142 | 21.83 | 145 | 51 | 2.8 |
| | 1998 | 106 | 615 | 17.24 | 30 | 192 | 15.63 | 131 | 51 | 2.6 |
| | 1999 | 133 | 3,723 | 3.57 | 26 | 196 | 13.27 | 144 | 39 | 3.7 |
| | 2000 | 89 | 1,979 | 4.5 | 34 | 210 | 16.19 | 91 | 42 | 2.2 |
| | 2001 | 129 | 3,229 | 4 | 54 | 296 | 18.24 | 161 | 51 | 3.2 |
| | 2002 | 197 | 6,430 | 3.06 | 46 | 297 | 15.49 | 200 | 54 | 3.7 |
| | 2003 | 221 | 14,018 | 1.58 | 82 | 503 | 16.3 | 270 | 67 | 4 |
| | 2004 | 175 | 18,808 | 0.93 | 109 | 546 | 19.96 | 284 | 75 | 3.8 |
| | 2005 | 116 | 7,822 | 1.48 | 78 | 359 | 21.73 | 194 | 57 | 3.4 |
| | 2006 | 293 | 13,631 | 2.15 | 84 | 269 | 31.23 | 377 | 77 | 4.9 |
| | 2007 | 292 | 26,570 | 1.1 | 162 | 600 | 27 | 454 | 87 | 5.2 |
| | 2008 | 405 | 15,602 | 2.6 | 157 | 788 | 19.92 | 562 | 104 | 5.4 |
| | 2009 | 375 | 21,905 | 1.71 | 132 | 737 | 17.91 | 510 | 104 | 4.9 |
| | 2010 | 416 | 21,546 | 1.93 | 190 | 553 | 34.36 | 607 | 107 | 5.7 |
| | 2011 | 606 | 42,826 | 1.42 | 105 | 531 | 19.77 | 711 | 117 | 6.1 |
| | 2012 | 455 | 27,025 | 1.68 | 121 | 583 | 20.75 | 576 | 104 | 5.5 |
| | 2013 | 340 | 29,509 | 1.15 | 110 | 714 | 15.41 | 450 | 116 | 3.9 |
| | 2014 | 206 | 19,675 | 1.05 | 166 | 817 | 20.32 | 372 | 89 | 4.2 |
| 2015 | 224 | 14,084 | 1.59 | 98 | 570 | 17.19 | 322 | 81 | 3.98 | |
| 2016 | 231 | 10,431 | 2.21 | 77 | 555 | 13.87 | 308 | 86 | 3.58 | |
| Red Fox | 1997 | 136 | 8,430 | 1.61 | 14 | 53 | 26.42 | 150 | 48 | 3.1 |
| | 1998 | 51 | 8,415 | 0.61 | 16 | 182 | 8.79 | 56 | 31 | 1.8 |
| | 1999 | 78 | 2,419 | 3.22 | 7 | 49 | 14.29 | 74 | 35 | 2.1 |
| | 2000 | 179 | 6,736 | 2.66 | 24 | 104 | 23.08 | 203 | 41 | 5 |
| | 2001 | 157 | 4,669 | 3.36 | 15 | 86 | 17.44 | 149 | 39 | 3.8 |
| | 2002 | 232 | 10,873 | 2.13 | 19 | 80 | 23.75 | 234 | 46 | 5.1 |
| | 2003 | 180 | 15,004 | 1.2 | 43 | 151 | 28.48 | 195 | 60 | 3.3 |
| | 2004 | 229 | 24,431 | 0.94 | 30 | 174 | 17.24 | 259 | 72 | 3.6 |
| | 2005 | 172 | 10,190 | 1.69 | 33 | 245 | 13.47 | 205 | 63 | 3.3 |
| | 2006 | 152 | 20,674 | 0.74 | 12 | 44 | 27.27 | 164 | 70 | 2.3 |
| | 2007 | 84 | 20,736 | 0.41 | 37 | 284 | 13.03 | 121 | 60 | 2 |
| | 2008 | 100 | 9,303 | 1.07 | 26 | 118 | 22.03 | 126 | 51 | 2.5 |
| | 2009 | 50 | 3,887 | 1.29 | 26 | 106 | 24.53 | 75 | 36 | 2.1 |
| | 2010 | 139 | 22,648 | 1.93 | 28 | 139 | 20.14 | 167 | 57 | 2.9 |
| | 2011 | 157 | 27,547 | 0.57 | 17 | 28 | 60.71 | 174 | 56 | 3.1 |
| | 2012 | 211 | 45,482 | 0.46 | 20 | 79 | 25.32 | 231 | 58 | 4 |
| | 2013 | 184 | 15,653 | 1.18 | 24 | 440 | 21.82 | 208 | 71 | 2.9 |
| | 2014 | 51 | 5,291 | 0.96 | 10 | 27 | 37.04 | 61 | 32 | 1.9 |
| 2015 | 125 | 31,431 | 0.40 | 2 | 13 | 15.38 | 127 | 72 | 2.75 | |
| 2016 | 80 | 6,118 | 1.31 | 15 | 53 | 28.30 | 95 | 31 | 3.06 | |

Appendix 10. Oregon beaver and muskrat catch per unit effort (Harvest/100 trap nights or days hunted) and average harvest per furtaker, 1997–2016. Data compiled from furtaker annual report where harvest and effort is reported. Take values exclude reports without reported effort, but occur in Appendix 14.

| Species | Year | Trapping | | | Hunting | | | Combined | | |
|---------|-------|------------|---------------|-----------------|------------|-------------|---------------|------------|-----------------|---------------|
| | | Total Take | # Trap Nights | Take/100 Nights | Total Take | # Hunt Days | Take/100 Days | Total Take | Total Furtakers | Take/Furtaker |
| Beaver | 1997 | 5,442 | 102,346 | 5.3 | 97 | 302 | 32.1 | 5,539 | 341 | 16.2 |
| | 1998 | 2,995 | 62,831 | 4.8 | 42 | 110 | 38.2 | 2,976 | 249 | 12.0 |
| | 1999 | 2,840 | 56,618 | 5.0 | 32 | 160 | 20.0 | 2,798 | 240 | 11.7 |
| | 2000 | 3,487 | 75,740 | 4.6 | 39 | 185 | 21.1 | 3,385 | 250 | 13.5 |
| | 2001 | 3,858 | 62,919 | 6.1 | 52 | 238 | 21.9 | 3,900 | 256 | 15.2 |
| | 2002 | 3,208 | 65,807 | 4.9 | 67 | 167 | 40.1 | 3,178 | 256 | 12.4 |
| | 2003 | 2,639 | 49,230 | 5.4 | 105 | 160 | 65.6 | 2,581 | 236 | 10.9 |
| | 2004 | 2,644 | 58,024 | 4.6 | 127 | 132 | 96.2 | 2,771 | 257 | 10.8 |
| | 2005 | 2,866 | 53,794 | 5.3 | 14 | 34 | 41.2 | 2,880 | 211 | 13.6 |
| | 2006 | 3,209 | 51,774 | 6.2 | 42 | 106 | 39.6 | 3,251 | 276 | 11.8 |
| | 2007 | 2,463 | 44,321 | 5.6 | 34 | 227 | 15.0 | 2,497 | 239 | 10.4 |
| | 2008 | 2,412 | 62,986 | 3.8 | 89 | 227 | 39.2 | 2,501 | 284 | 8.8 |
| | 2009 | 2,793 | 66,274 | 4.2 | 21 | 269 | 7.8 | 2,814 | 281 | 10.0 |
| | 2010 | 3,198 | 66,267 | 4.8 | 48 | 163 | 29.5 | 3,246 | 268 | 12.1 |
| | 2011 | 2,681 | 56,817 | 4.7 | 50 | 204 | 24.5 | 2,731 | 251 | 10.9 |
| | 2012 | 2,831 | 57,742 | 4.9 | 56 | 158 | 35.4 | 2,869 | 278 | 10.3 |
| | 2013 | 3,244 | 73,283 | 4.4 | 49 | 187 | 26.2 | 3,293 | 310 | 10.6 |
| 2014 | 1,925 | 50,936 | 3.8 | 20 | 73 | 27.4 | 1,945 | 214 | 9.1 | |
| 2015 | 1,305 | 39,426 | 3.3 | 19 | 66 | 28.8 | 1,326 | 171 | 7.7 | |
| 2016 | 1,200 | 26,202 | 4.6 | 31 | 78 | 39.7 | 1,231 | 161 | 7.7 | |
| Muskrat | 1997 | 17,161 | 156,273 | 11.0 | 368 | 244 | 150.8 | 17,529 | 184 | 95.3 |
| | 1998 | 5,470 | 50,294 | 10.9 | 145 | 32 | 453.1 | 5,454 | 125 | 43.6 |
| | 1999 | 10,876 | 63,606 | 17.1 | 209 | 73 | 286.3 | 10,379 | 102 | 101.8 |
| | 2000 | 9,622 | 57,182 | 16.8 | 266 | 45 | 591.1 | 9,746 | 105 | 92.8 |
| | 2001 | 8,525 | 50,005 | 17.1 | 167 | 147 | 113.6 | 8,424 | 105 | 80.2 |
| | 2002 | 6,305 | 55,545 | 11.4 | 141 | 40 | 352.5 | 6,284 | 123 | 51.1 |
| | 2003 | 4,475 | 38,507 | 11.6 | 283 | 84 | 336.9 | 4,402 | 95 | 46.3 |
| | 2004 | 5,554 | 31,642 | 17.6 | 85 | 40 | 212.5 | 5,639 | 125 | 45.1 |
| | 2005 | 6,573 | 62,537 | 10.5 | 1 | 3 | 33.3 | 6,574 | 102 | 64.5 |
| | 2006 | 5,398 | 69,549 | 7.8 | 32 | 6 | 533.3 | 5,430 | 128 | 42.4 |
| | 2007 | 2,531 | 27,176 | 9.3 | 44 | 78 | 56.4 | 2,575 | 87 | 29.6 |
| | 2008 | 5,008 | 53,068 | 9.4 | 16 | 2 | 800.0 | 5,024 | 131 | 38.4 |
| | 2009 | 7,730 | 82,916 | 9.3 | 93 | 137 | 67.9 | 7,823 | 160 | 48.9 |
| | 2010 | 8,698 | 102,683 | 8.6 | 8 | 15 | 53.3 | 8,706 | 170 | 51.2 |
| | 2011 | 9,577 | 107,606 | 8.9 | 29 | 75 | 38.7 | 9,606 | 183 | 52.5 |
| | 2012 | 12,858 | 149,447 | 8.6 | 52 | 46 | 113.0 | 12,910 | 212 | 60.9 |
| | 2013 | 12,888 | 143,180 | 9.0 | 11 | 121 | 16.7 | 12,899 | 222 | 58.0 |
| 2014 | 8,461 | 100,017 | 8.5 | 7 | 14 | 50.0 | 8,468 | 155 | 54.6 | |
| 2015 | 5,272 | 77,725 | 6.8 | 13 | 18 | 72.2 | 5,285 | 121 | 43.7 | |
| 2016 | 3,155 | 33,804 | 9.3 | 34 | 36 | 94.4 | 3,189 | 90 | 35.4 | |

Appendix 11. Oregon river otter catch per unit effort (Harvest/100 trap nights or days hunted) and average harvest per furtaker, 1992–2016. Data compiled from furtaker annual report where harvest and effort is reported. Take values exclude reports without reported effort, but occur in Appendix 14.

| Year | Trapping | | | Hunting | | | Combined | | |
|------|------------|---------------|-----------------|------------|-------------|---------------|------------|-----------------|---------------|
| | Total Take | # Trap Nights | Take/100 Nights | Total Take | # Hunt Days | Take/100 Days | Total Take | Total Furtakers | Take/Furtaker |
| 1992 | 230 | 10,128 | 2.27 | 36 | 103 | 34.95 | 266 | 82 | 3.2 |
| 1993 | 333 | 20,473 | 1.63 | 26 | 62 | 41.94 | 359 | 95 | 3.8 |
| 1994 | 420 | 18,111 | 2.32 | 10 | 85 | 11.76 | 430 | 103 | 4.2 |
| 1995 | 282 | 22,765 | 1.24 | 8 | 39 | 20.51 | 290 | 76 | 3.8 |
| 1996 | 341 | 23,369 | 1.46 | 19 | 59 | 32.2 | 360 | 105 | 3.4 |
| 1997 | 312 | 34,004 | 0.92 | 21 | 91 | 23.08 | 333 | 114 | 2.9 |
| 1998 | 375 | 23,164 | 1.62 | 13 | 41 | 31.71 | 383 | 94 | 4.1 |
| 1999 | 369 | 13,998 | 2.64 | 8 | 58 | 13.79 | 285 | 100 | 2.9 |
| 2000 | 435 | 14,672 | 2.96 | 8 | 57 | 14.04 | 361 | 89 | 4.1 |
| 2001 | 449 | 16,375 | 2.74 | 17 | 94 | 18.09 | 320 | 100 | 3.2 |
| 2002 | 618 | 37,526 | 1.65 | 9 | 39 | 23.08 | 578 | 126 | 4.6 |
| 2003 | 526 | 31,986 | 1.64 | 23 | 73 | 31.51 | 516 | 114 | 4.5 |
| 2004 | 441 | 36,533 | 1.21 | 15 | 71 | 21.13 | 456 | 114 | 4.0 |
| 2005 | 414 | 21,206 | 1.95 | 11 | 28 | 39.29 | 425 | 102 | 4.2 |
| 2006 | 276 | 19,732 | 1.4 | 14 | 110 | 12.73 | 290 | 120 | 2.4 |
| 2007 | 200 | 11,934 | 1.68 | 8 | 27 | 29.63 | 208 | 104 | 2.0 |
| 2008 | 281 | 24,027 | 1.17 | 21 | 85 | 24.71 | 302 | 115 | 2.6 |
| 2009 | 323 | 33,720 | 0.96 | 24 | 173 | 13.87 | 347 | 133 | 2.6 |
| 2010 | 383 | 29,275 | 1.31 | 13 | 100 | 13 | 396 | 118 | 3.3 |
| 2011 | 382 | 35,530 | 1.08 | 30 | 167 | 17.96 | 412 | 127 | 3.2 |
| 2012 | 476 | 27,594 | 1.7 | 32 | 176 | 18.18 | 508 | 150 | 3.4 |
| 2013 | 479 | 42,730 | 1.12 | 25 | 115 | 21.74 | 504 | 145 | 3.5 |
| 2014 | 280 | 19,302 | 1.45 | 17 | 54 | 31.48 | 297 | 100 | 3.0 |
| 2015 | 188 | 16,269 | 1.16 | 10 | 31 | 32.26 | 198 | 72 | 2.8 |
| 2016 | 229 | 12,918 | 1.77 | 7 | 88 | 7.95 | 236 | 78 | 3.0 |

Appendix 11 (continued). Oregon river otter catch per unit effort (Harvest/100 trap nights or days hunted) and average harvest per furtaker, 1992–2016. Data compiled from furtaker annual report where harvest and effort is reported. Take values exclude reports without reported effort, but occur in Appendix 14.

| Area | Year | Trapping | | | Hunting | | | Combined | | |
|----------------|------|------------|---------------|-----------------|------------|-------------|---------------|------------|-----------------|---------------|
| | | Total Take | # Trap Nights | Take/100 Nights | Total Take | # Hunt Days | Take/100 Days | Total Take | Total Furtakers | Take/Furtaker |
| Western Oregon | 1997 | 10 | 196 | 5.1 | 0 | 0 | 0 | 10 | 3 | 3.3 |
| | 1998 | 5 | 23 | 21.74 | 0 | 0 | 0 | 5 | 3 | 1.7 |
| | 1999 | 15 | 262 | 5.73 | 1 | 3 | 33.33 | 16 | 6 | 2.7 |
| | 2000 | 26 | 600 | 4.33 | 0 | 0 | 0 | 26 | 3 | 8.7 |
| | 2001 | 29 | 1,920 | 1.51 | 0 | 0 | 0 | 29 | 2 | 14.5 |
| | 2002 | 18 | 660 | 2.73 | 0 | 0 | 0 | 18 | 4 | 4.5 |
| | 2003 | 13 | 385 | 3.38 | 0 | 0 | 0 | 13 | 3 | 4.3 |
| | 2004 | 20 | 533 | 3.75 | 0 | 0 | 0 | 20 | 4 | 5.0 |
| | 2005 | 9 | 162 | 5.56 | 0 | 1 | 0 | 9 | 3 | 3.0 |
| | 2006 | 45 | 852 | 5.28 | 0 | 0 | 0 | 45 | 7 | 6.4 |
| | 2007 | 33 | 1,413 | 2.34 | 0 | 0 | 0 | 33 | 6 | 5.5 |
| | 2008 | 31 | 619 | 5.01 | 0 | 0 | 0 | 31 | 6 | 5.2 |
| | 2009 | 26 | 1,273 | 2.04 | 0 | 2 | 0 | 26 | 6 | 4.3 |
| | 2010 | 27 | 1,367 | 1.98 | 0 | 0 | 0 | 27 | 5 | 5.4 |
| | 2011 | 56 | 2,234 | 2.51 | 0 | 0 | 0 | 56 | 12 | 4.7 |
| | 2012 | 46 | 2,917 | 1.58 | 0 | 0 | 0 | 46 | 8 | 5.8 |
| | 2013 | 57 | 5,189 | 1.1 | 0 | 0 | 0 | 57 | 11 | 5.2 |
| 2014 | 23 | 5,859 | 0.39 | 0 | 1 | 0 | 23 | 7 | 3.3 | |
| 2015 | 50 | 2,835 | 1.76 | 0 | 0 | 0 | 50 | 8 | 6.3 | |
| 2016 | 12 | 450 | 2.67 | 0 | 3 | 0 | 12 | 4 | 3.0 | |
| Eastern Oregon | 1997 | 82 | 4,265 | 1.92 | 0 | 0 | 0 | 82 | 5 | 16.4 |
| | 1998 | 12 | 222 | 5.41 | 0 | 0 | 0 | 12 | 2 | 6.0 |
| | 1999 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| | 2000 | 30 | 694 | 4.32 | 0 | 0 | 0 | 30 | 4 | 7.5 |
| | 2001 | 28 | 1,338 | 2.09 | 0 | 0 | 0 | 27 | 3 | 9.0 |
| | 2002 | 0 | 23 | 0 | 0 | 0 | 0 | 0 | 3 | 0.0 |
| | 2003 | 1 | 24 | 4.17 | 0 | 0 | 0 | 1 | 1 | 1.0 |
| | 2004 | 14 | 4062 | 0.34 | 0 | 0 | 0 | 14 | 5 | 2.8 |
| | 2005 | 7 | 138 | 5.07 | 0 | 0 | 0 | 7 | 1 | 7.0 |
| | 2006 | 13 | 3,290 | 0.4 | 0 | 0 | 0 | 13 | 7 | 1.9 |
| | 2007 | 67 | 5,042 | 1.33 | 0 | 0 | 0 | 67 | 10 | 6.7 |
| | 2008 | 96 | 5,498 | 1.75 | 0 | 0 | 0 | 96 | 10 | 9.6 |
| | 2009 | 20 | 1,023 | 1.96 | 0 | 6 | 0 | 20 | 7 | 2.9 |
| | 2010 | 18 | 998 | 1.8 | 0 | 0 | 0 | 18 | 2 | 9.0 |
| | 2011 | 43 | 3,794 | 1.13 | 0 | 0 | 0 | 43 | 10 | 4.3 |
| | 2012 | 24 | 1,864 | 1.29 | 0 | 0 | 0 | 24 | 7 | 3.4 |
| | 2013 | 57 | 10,989 | 0.52 | 0 | 0 | 0 | 57 | 11 | 5.2 |
| 2014 | 22 | 3,636 | 0.61 | 0 | 0 | 0 | 22 | 12 | 1.8 | |
| 2015 | 59 | 5,334 | 1.1 | 0 | 0 | 0 | 59 | 13 | 4.5 | |
| 2016 | 25 | 3,099 | 0.81 | 0 | 0 | 0 | 25 | 7 | 3.6 | |

Appendix 12. Oregon marten catch per unit effort (Harvest/100 trap nights or days hunted) and average harvest per furtaker, 1997–2016. Data compiled from furtaker annual report where harvest and effort is reported. Take values exclude reports without reported effort, but occur in Appendix 14.

| Area | Year | Trapping | | | Hunting | | | Combined | | |
|----------------|------|------------|---------------|-----------------|------------|-------------|---------------|------------|-----------------|---------------|
| | | Total Take | # Trap Nights | Take/100 Nights | Total Take | # Hunt Days | Take/100 Days | Total Take | Total Furtakers | Take/Furtaker |
| Western Oregon | 1997 | 10 | 196 | 5.1 | 0 | 0 | 0 | 10 | 3 | 3.3 |
| | 1998 | 5 | 23 | 21.74 | 0 | 0 | 0 | 5 | 3 | 1.7 |
| | 1999 | 15 | 262 | 5.73 | 1 | 3 | 33.33 | 16 | 6 | 2.7 |
| | 2000 | 26 | 600 | 4.33 | 0 | 0 | 0 | 26 | 3 | 8.7 |
| | 2001 | 29 | 1,920 | 1.51 | 0 | 0 | 0 | 29 | 2 | 14.5 |
| | 2002 | 18 | 660 | 2.73 | 0 | 0 | 0 | 18 | 4 | 4.5 |
| | 2003 | 13 | 385 | 3.38 | 0 | 0 | 0 | 13 | 3 | 4.3 |
| | 2004 | 20 | 533 | 3.75 | 0 | 0 | 0 | 20 | 4 | 5.0 |
| | 2005 | 9 | 162 | 5.56 | 0 | 1 | 0 | 9 | 3 | 3.0 |
| | 2006 | 45 | 852 | 5.28 | 0 | 0 | 0 | 45 | 7 | 6.4 |
| | 2007 | 33 | 1,413 | 2.34 | 0 | 0 | 0 | 33 | 6 | 5.5 |
| | 2008 | 31 | 619 | 5.01 | 0 | 0 | 0 | 31 | 6 | 5.2 |
| | 2009 | 26 | 1,273 | 2.04 | 0 | 2 | 0 | 26 | 6 | 4.3 |
| | 2010 | 27 | 1,367 | 1.98 | 0 | 0 | 0 | 27 | 5 | 5.4 |
| | 2011 | 56 | 2,234 | 2.51 | 0 | 0 | 0 | 56 | 12 | 4.7 |
| | 2012 | 46 | 2,917 | 1.58 | 0 | 0 | 0 | 46 | 8 | 5.8 |
| | 2013 | 57 | 5,189 | 1.1 | 0 | 0 | 0 | 57 | 11 | 5.2 |
| | 2014 | 23 | 5,859 | 0.39 | 0 | 1 | 0 | 23 | 7 | 3.3 |
| | 2015 | 50 | 2,835 | 1.76 | 0 | 0 | 0 | 50 | 8 | 6.3 |
| | 2016 | 12 | 450 | 2.67 | 0 | 3 | 0 | 12 | 4 | 3.0 |
| Eastern Oregon | 1997 | 82 | 4,265 | 1.92 | 0 | 0 | 0 | 82 | 5 | 16.4 |
| | 1998 | 12 | 222 | 5.41 | 0 | 0 | 0 | 12 | 2 | 6.0 |
| | 1999 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| | 2000 | 30 | 694 | 4.32 | 0 | 0 | 0 | 30 | 4 | 7.5 |
| | 2001 | 28 | 1,338 | 2.09 | 0 | 0 | 0 | 27 | 3 | 9.0 |
| | 2002 | 0 | 23 | 0 | 0 | 0 | 0 | 0 | 3 | 0.0 |
| | 2003 | 1 | 24 | 4.17 | 0 | 0 | 0 | 1 | 1 | 1.0 |
| | 2004 | 14 | 4062 | 0.34 | 0 | 0 | 0 | 14 | 5 | 2.8 |
| | 2005 | 7 | 138 | 5.07 | 0 | 0 | 0 | 7 | 1 | 7.0 |
| | 2006 | 13 | 3,290 | 0.4 | 0 | 0 | 0 | 13 | 7 | 1.9 |
| | 2007 | 67 | 5,042 | 1.33 | 0 | 0 | 0 | 67 | 10 | 6.7 |
| | 2008 | 96 | 5,498 | 1.75 | 0 | 0 | 0 | 96 | 10 | 9.6 |
| | 2009 | 20 | 1,023 | 1.96 | 0 | 6 | 0 | 20 | 7 | 2.9 |
| | 2010 | 18 | 998 | 1.8 | 0 | 0 | 0 | 18 | 2 | 9.0 |
| | 2011 | 43 | 3,794 | 1.13 | 0 | 0 | 0 | 43 | 10 | 4.3 |
| | 2012 | 24 | 1,864 | 1.29 | 0 | 0 | 0 | 24 | 7 | 3.4 |
| | 2013 | 57 | 10,989 | 0.52 | 0 | 0 | 0 | 57 | 11 | 5.2 |
| | 2014 | 22 | 3,636 | 0.61 | 0 | 0 | 0 | 22 | 12 | 1.8 |
| | 2015 | 59 | 5,334 | 1.1 | 0 | 0 | 0 | 59 | 13 | 4.5 |
| | 2016 | 25 | 3,099 | 0.81 | 0 | 0 | 0 | 25 | 7 | 3.6 |

Appendix 13. Oregon mink and raccoon catch per unit effort (Harvest/100 trap nights or days hunted) and average harvest per furtaker, 1997–2016. Data compiled from furtaker annual report where harvest and effort is reported. Take values exclude reports without reported effort, but occur in Appendix 14.

| Species | Year | Trapping | | | Hunting | | | Combined | | |
|---------|------|------------|---------------|-----------------|------------|-------------|---------------|------------|-----------------|---------------|
| | | Total Take | # Trap Nights | Take/100 Nights | Total Take | # Hunt Days | Take/100 Days | Total Take | Total Furtakers | Take/Furtaker |
| Mink | 1997 | 607 | 47,918 | 1.27 | 3 | 45 | 6.67 | 485 | 104 | 4.7 |
| | 1998 | 307 | 26,108 | 1.18 | 3 | 3 | 100 | 225 | 64 | 3.5 |
| | 1999 | 308 | 11,366 | 2.71 | 3 | 5 | 60 | 219 | 62 | 3.5 |
| | 2000 | 366 | 10,760 | 3.40 | 1 | 2 | 50 | 244 | 50 | 4.9 |
| | 2001 | 297 | 11,321 | 2.62 | 2 | 41 | 4.88 | 192 | 54 | 3.6 |
| | 2002 | 356 | 17,481 | 2.04 | 7 | 16 | 43.75 | 318 | 76 | 4.2 |
| | 2003 | 251 | 21,970 | 1.14 | 5 | 12 | 41.67 | 173 | 52 | 3.3 |
| | 2004 | 244 | 31,642 | 0.77 | 7 | 22 | 31.82 | 251 | 70 | 3.6 |
| | 2005 | 290 | 34,825 | 0.83 | 1 | 1 | 100 | 291 | 61 | 4.8 |
| | 2006 | 353 | 20,650 | 1.71 | 5 | 4 | 125 | 358 | 86 | 4.2 |
| | 2007 | 236 | 21,452 | 1.10 | 3 | 65 | 4.62 | 239 | 58 | 4.1 |
| | 2008 | 263 | 25,301 | 1.04 | 7 | 72 | 9.72 | 270 | 82 | 3.1 |
| | 2009 | 235 | 28,616 | 0.82 | 3 | 11 | 27.27 | 238 | 83 | 2.9 |
| | 2010 | 344 | 37,379 | 0.92 | 1 | 16 | 6.25 | 344 | 81 | 4.2 |
| | 2011 | 352 | 38,956 | 0.90 | 4 | 47 | 8.51 | 356 | 94 | 3.8 |
| | 2012 | 333 | 62,184 | 0.54 | 8 | 77 | 10.39 | 341 | 113 | 3.0 |
| | 2013 | 389 | 37,669 | 1.03 | 6 | 54 | 11.11 | 395 | 108 | 3.7 |
| 2014 | 233 | 23,851 | 0.98 | 3 | 5 | 60 | 236 | 82 | 2.9 | |
| 2015 | 172 | 18,626 | 0.92 | 5 | 9 | 55.56 | 177 | 51 | 5.7 | |
| 2016 | 61 | 12,995 | 0.47 | 1 | 11 | 9.09 | 62 | 38 | 1.6 | |
| Raccoon | 1997 | 2,520 | 90,957 | 2.77 | 2,334 | 3,595 | 64.92 | 4,854 | 471 | 10.3 |
| | 1998 | 1,640 | 48,456 | 3.38 | 2,228 | 3,070 | 72.57 | 3,590 | 380 | 9.4 |
| | 1999 | 1,268 | 25,416 | 4.99 | 1,676 | 2,806 | 59.73 | 2,661 | 321 | 8.3 |
| | 2000 | 1,868 | 34,383 | 5.43 | 1,921 | 2,328 | 82.52 | 3,446 | 345 | 10.0 |
| | 2001 | 1,447 | 26,030 | 5.56 | 1,160 | 2,126 | 54.56 | 2,221 | 309 | 7.2 |
| | 2002 | 1,676 | 50,038 | 3.35 | 1,201 | 2,463 | 48.76 | 2,592 | 354 | 7.3 |
| | 2003 | 2,242 | 59,699 | 3.76 | 1,129 | 2,329 | 48.48 | 2,983 | 369 | 8.1 |
| | 2004 | 2,137 | 75,112 | 2.85 | 1,105 | 2,853 | 38.73 | 3,242 | 387 | 8.4 |
| | 2005 | 868 | 46,781 | 1.86 | 790 | 2,451 | 32.23 | 1,658 | 328 | 5.1 |
| | 2006 | 1,062 | 57,913 | 1.83 | 920 | 2,288 | 40.21 | 1,982 | 365 | 5.4 |
| | 2007 | 1,303 | 68,733 | 1.90 | 1,106 | 2,793 | 39.6 | 2,409 | 373 | 6.5 |
| | 2008 | 1,368 | 59,353 | 2.30 | 1,025 | 2,879 | 35.6 | 2,393 | 385 | 6.2 |
| | 2009 | 1,087 | 72,474 | 1.50 | 842 | 2,858 | 29.46 | 1,929 | 379 | 5.1 |
| | 2010 | 1,530 | 82,199 | 1.86 | 805 | 2,423 | 33.01 | 2,335 | 390 | 6.0 |
| | 2011 | 1,602 | 107,360 | 1.49 | 425 | 1,372 | 30.98 | 2,027 | 350 | 5.8 |
| | 2012 | 1,482 | 64,181 | 2.31 | 437 | 1,804 | 24.22 | 1,919 | 343 | 5.6 |
| | 2013 | 1,693 | 73,267 | 2.31 | 345 | 1,505 | 22.92 | 2,038 | 375 | 5.4 |
| 2014 | 820 | 45,312 | 1.81 | 295 | 1,274 | 23.2 | 1,115 | 259 | 4.3 | |
| 2015 | 610 | 38,923 | 1.57 | 226 | 857 | 26.37 | 836 | 199 | 4.2 | |
| 2016 | 539 | 20,684 | 2.61 | 198 | 840 | 23.57 | 737 | 185 | 4.0 | |

Appendix 14. Number of successful furtakers and number of animals taken (hunt or trap only) by species in Oregon, 2004–2016. Data compiled from furtaker annual report where harvest and effort is reported.

| Species | # Successful Furtakers | | | | | | | | | | | # Animals Taken | | | | | | | | | | |
|---------------|------------------------|-------|-------|-------|-------|-------|-------|-------|------|------|------|-----------------|-------|-------|-------|-------|-------|--------|--------|-------|-------|-------|
| | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
| Badger | 99 | 85 | 49 | 56 | 77 | 76 | 86 | 66 | 46 | 27 | 47 | 724 | 482 | 178 | 200 | 309 | 341 | 254 | 156 | 88 | 107 | 145 |
| Beaver | 271 | 239 | 284 | 281 | 269 | 252 | 286 | 317 | 220 | 177 | 164 | 3,258 | 2,522 | 2,532 | 2,825 | 3,246 | 2,732 | 2,897 | 3,306 | 1,981 | 1,329 | 1,268 |
| Bobcat | 1,299 | 1,187 | 1,112 | 1,005 | 1,110 | 1,093 | 1,176 | 1,148 | 893 | 662 | 698 | 4,500 | 3,144 | 2,335 | 2,026 | 3,066 | 3,477 | 3,358 | 3,118 | 2,166 | 1,569 | 1,952 |
| Coyote | 584 | 559 | 522 | 472 | 510 | 494 | 525 | 518 | 404 | 326 | 327 | 7,408 | 6,075 | 4,111 | 3,899 | 5,505 | 5,907 | 5,946 | 4,852 | 3,776 | 3,347 | 3,840 |
| Gray Fox | 77 | 87 | 104 | 104 | 118 | 119 | 116 | 126 | 99 | 89 | 93 | 433 | 508 | 600 | 518 | 656 | 715 | 685 | 504 | 408 | 341 | 327 |
| Red Fox | 60 | 60 | 51 | 36 | 65 | 56 | 70 | 83 | 38 | 35 | 34 | 198 | 138 | 151 | 84 | 175 | 174 | 268 | 238 | 68 | 134 | 102 |
| Marten | 13 | 14 | 13 | 12 | 7 | 18 | 13 | 19 | 19 | 19 | 9 | 58 | 100 | 127 | 46 | 45 | 99 | 70 | 114 | 45 | 109 | 37 |
| Mink | 86 | 58 | 82 | 83 | 91 | 94 | 136 | 125 | 96 | 57 | 45 | 411 | 277 | 355 | 284 | 358 | 356 | 399 | 427 | 263 | 192 | 77 |
| Muskrat | 136 | 87 | 131 | 160 | 180 | 183 | 228 | 242 | 172 | 130 | 98 | 5,506 | 2666 | 5,228 | 8,021 | 8,740 | 9,606 | 13,024 | 12,994 | 8,619 | 5,425 | 3,301 |
| Nutria | 81 | 74 | 100 | 101 | 119 | 101 | 132 | 125 | 90 | 70 | 59 | 2,431 | 2,064 | 3,189 | 2,026 | 2,080 | 2,209 | 2,540 | 2,253 | 1,603 | 1,107 | 838 |
| Opossum | 64 | 67 | 77 | 98 | 113 | 124 | 108 | 125 | 111 | 93 | 68 | 572 | 519 | 563 | 593 | 696 | 765 | 648 | 789 | 531 | 503 | 316 |
| Raccoon | 365 | 373 | 385 | 379 | 420 | 358 | 381 | 422 | 294 | 217 | 201 | 2,386 | 2,624 | 2,666 | 2,019 | 2,420 | 2,063 | 2,077 | 2,262 | 1,247 | 927 | 833 |
| River Otter | 120 | 104 | 115 | 133 | 126 | 128 | 161 | 156 | 110 | 77 | 86 | 357 | 276 | 347 | 357 | 408 | 413 | 523 | 534 | 362 | 203 | 263 |
| Spotted Skunk | 51 | 25 | 33 | 52 | 60 | 60 | 55 | 65 | 49 | 22 | 34 | 682 | 266 | 293 | 188 | 318 | 266 | 403 | 354 | 293 | 102 | 127 |
| Striped Skunk | 87 | 76 | 82 | 122 | 142 | 150 | 135 | 137 | 129 | 89 | 80 | 630 | 554 | 781 | 866 | 793 | 905 | 733 | 676 | 607 | 614 | 362 |
| Weasel | 13 | 14 | 8 | 13 | 18 | 13 | 19 | 14 | 13 | 16 | 9 | 42 | 22 | 23 | 17 | 36 | 19 | 44 | 29 | 28 | 18 | 9 |

Appendix 15. Number of Oregon furtakers reporting pursuit season effort and success (Animals treed/100 nights or days of pursuit), 2009–2016. Data compiled from furtaker annual report where harvest and effort is reported.

| | 2009 | | | | 2010 | | | | 2011 | | | |
|----------------|--------------------|--------------|--------------|------------------|--------------------|--------------|--------------|------------------|--------------------|------------|--------------|------------------|
| Species | # Reporting Effort | # Treed | # Days | # Treed/100 Days | # Reporting Effort | # Treed | # Days | # Treed/100 Days | # Reporting Effort | # Treed | # Days | # Treed/100 Days |
| Bobcat | 248 | 863 | 3,466 | 24.90 | 258 | 1,254 | 3,902 | 32.14 | 197 | 613 | 2,700 | 22.7 |
| Gray Fox | 22 | 78 | 416 | 18.75 | 14 | 34 | 141 | 24.11 | 13 | 39 | 144 | 27.08 |
| Red Fox | 1 | 0 | 6 | 0.00 | 2 | 3 | 3 | 100 | 0 | 0 | 0 | 0 |
| Raccoon | 75 | 587 | 1,108 | 52.76 | 72 | 501 | 946 | 52.96 | 42 | 240 | 474 | 50.63 |
| Total | 346 | 1,528 | 4,996 | 30.50 | 346 | 1,792 | 4,992 | 35.89 | 252 | 892 | 3,318 | 26.88 |

| | 2012 | | | | 2013 | | | | 2014 | | | |
|----------------|--------------------|--------------|--------------|------------------|--------------------|--------------|--------------|------------------|--------------------|--------------|--------------|------------------|
| Species | # Reporting Effort | # Treed | # Days | # Treed/100 Days | # Reporting Effort | # Treed | # Days | # Treed/100 Days | # Reporting Effort | # Treed | # Days | # Treed/100 Days |
| Bobcat | 229 | 917 | 3,340 | 27.46 | 208 | 870 | 3,040 | 28.62 | 192 | 793 | 2,611 | 30.37 |
| Gray Fox | 16 | 85 | 235 | 36.17 | 23 | 81 | 363 | 22.31 | 17 | 146 | 286 | 51.05 |
| Red Fox | 0 | 0 | 0 | 0 | 4 | 2 | 37 | 5.41 | 0 | 0 | 0 | 0 |
| Raccoon | 47 | 413 | 673 | 61.37 | 39 | 227 | 540 | 42.04 | 34 | 221 | 446 | 49.55 |
| Total | 292 | 1,415 | 4,248 | 33.31 | 274 | 1,180 | 3,980 | 29.65 | 243 | 1,160 | 3,343 | 34.7 |

| | 2015 | | | | 2016 | | | |
|----------------|--------------------|------------|--------------|------------------|--------------------|--------------|--------------|------------------|
| Species | # Reporting Effort | # Treed | # Days | # Treed/100 Days | # Reporting Effort | # Treed | # Days | # Treed/100 Days |
| Bobcat | 142 | 647 | 2,083 | 31.06 | 175 | 1099 | 2,952 | 37.23 |
| Gray Fox | 21 | 98 | 314 | 31.21 | 19 | 102 | 269 | 37.92 |
| Red Fox | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 100 |
| Raccoon | 25 | 107 | 228 | 46.93 | 30 | 213 | 401 | 53.12 |
| Total | 188 | 852 | 2,625 | 32.46 | 225 | 1,415 | 3,662 | 38.64 |

Appendix 16. Number of bobcat and river otter CITES tags issued each license year.
 Source data is reports from ODFW tagging offices.

| License Year | River Otter | Western Bobcat | Eastern Bobcat | Bobcat Total |
|--------------|-------------|----------------|----------------|--------------|
| 1989 | 337 | 949 | 790 | 1,739 |
| 1990 | 241 | 720 | 502 | 1,222 |
| 1991 | 305 | 979 | 569 | 1,548 |
| 1992 | 277 | 710 | 996 | 1,706 |
| 1993 | 400 | 661 | 721 | 1,382 |
| 1994 | 405 | 807 | 883 | 1,690 |
| 1995 | - | 449 | 549 | 998 |
| 1996 | 521 | 936 | 1,118 | 2,054 |
| 1997 | 467 | 1,045 | 994 | 2,039 |
| 1998 | 351 | 635 | 578 | 1,213 |
| 1999 | 363 | 471 | 804 | 1,275 |
| 2000 | 272 | 530 | 361 | 891 |
| 2001 | 400 | 578 | 674 | 1,252 |
| 2002 | 600 | 876 | 964 | 1,840 |
| 2003 | 542 | 1,339 | 1,864 | 3,203 |
| 2004 | 465 | 1,297 | 2,177 | 3,474 |
| 2005 | 542 | 969 | 2,087 | 3,056 |
| 2006 | 371 | 1,369 | 3,033 | 4,402 |
| 2007 | 271 | 1,040 | 2,054 | 3,094 |
| 2008 | 346 | 929 | 1,434 | 2,363 |
| 2009 | 355 | 805 | 1,140 | 1,945 |
| 2010 | 407 | 1,048 | 1,900 | 2,948 |
| 2011 | 422 | 1,355 | 2,353 | 3,708 |
| 2012 | 473 | 956 | 2,187 | 3,143 |
| 2013 | 602 | 1,267 | 1,996 | 3,263 |
| 2014 | 362 | 897 | 1,330 | 2,227 |
| 2015 | 192 | 575 | 986 | 1,561 |
| 2016 | 231 | 668 | 1,230 | 1,898 |

Appendix 17. Proportion of bobcat kits and yearlings taken in Oregon, 1983-2016.
 Information based on bobcat jaws with attached jaw tags composed by
 ODFW Wildlife Health and Population Lab.

| Season | Western Oregon | | | Eastern Oregon | | |
|--------|----------------|-----------|----------------|----------------|-----------|----------------|
| | Kits | Yearlings | Combined Total | Kits | Yearlings | Combined Total |
| 2016 | 0.10 | 0.24 | 0.34 | 0.23 | 0.35 | 0.57 |
| 2015 | 0.14 | 0.20 | 0.34 | 0.32 | 0.20 | 0.59 |
| 2014 | 0.12 | 0.19 | 0.31 | 0.27 | 0.16 | 0.43 |
| 2013 | 0.12 | 0.13 | 0.25 | 0.16 | 0.20 | 0.36 |
| 2012 | 0.12 | 0.10 | 0.22 | 0.22 | 0.26 | 0.48 |
| 2011 | 0.09 | 0.16 | 0.25 | 0.23 | 0.24 | 0.47 |
| 2010 | 0.15 | 0.16 | 0.31 | 0.34 | 0.24 | 0.58 |
| 2009 | 0.10 | 0.17 | 0.27 | 0.31 | 0.11 | 0.42 |
| 2008 | 0.11 | 0.11 | 0.22 | 0.12 | 0.11 | 0.22 |
| 2007 | 0.13 | 0.07 | 0.20 | 0.16 | 0.26 | 0.42 |
| 2006 | 0.08 | 0.16 | 0.24 | 0.31 | 0.26 | 0.56 |
| 2005 | 0.13 | 0.19 | 0.31 | 0.34 | 0.21 | 0.55 |
| 2004 | 0.14 | 0.15 | 0.29 | 0.27 | 0.23 | 0.51 |
| 2003 | 0.11 | 0.15 | 0.26 | 0.29 | 0.18 | 0.48 |
| 2002 | 0.13 | 0.12 | 0.25 | 0.24 | 0.15 | 0.39 |
| 2001 | 0.12 | 0.13 | 0.25 | 0.22 | 0.17 | 0.40 |
| 2000 | 0.12 | 0.08 | 0.20 | 0.22 | 0.19 | 0.41 |
| 1999 | 0.11 | 0.16 | 0.27 | 0.26 | 0.23 | 0.48 |
| 1998 | 0.18 | 0.16 | 0.33 | 0.25 | 0.17 | 0.42 |
| 1997 | 0.10 | 0.14 | 0.24 | 0.18 | 0.17 | 0.35 |
| 1996 | 0.12 | 0.12 | 0.24 | 0.20 | 0.14 | 0.34 |
| 1995 | 0.12 | 0.15 | 0.27 | 0.24 | 0.23 | 0.47 |
| 1994 | 0.12 | 0.12 | 0.24 | 0.29 | 0.10 | 0.39 |
| 1993 | 0.09 | 0.16 | 0.24 | 0.12 | 0.21 | 0.34 |
| 1992 | 0.15 | 0.10 | 0.25 | 0.27 | 0.23 | 0.49 |
| 1991 | 0.10 | 0.15 | 0.25 | 0.29 | 0.23 | 0.53 |
| 1990 | 0.19 | 0.23 | 0.42 | 0.34 | 0.17 | 0.51 |
| 1989 | 0.15 | 0.27 | 0.42 | 0.24 | 0.23 | 0.47 |
| 1988 | 0.20 | 0.28 | 0.47 | 0.36 | 0.20 | 0.56 |
| 1987 | 0.20 | 0.36 | 0.56 | 0.32 | 0.18 | 0.50 |
| 1986 | 0.27 | 0.13 | 0.40 | 0.35 | 0.08 | 0.43 |
| 1985 | 0.14 | 0.21 | 0.35 | 0.20 | 0.16 | 0.36 |
| 1984 | 0.20 | 0.22 | 0.41 | 0.23 | 0.16 | 0.39 |
| 1983 | 0.20 | 0.16 | 0.36 | 0.32 | 0.09 | 0.41 |