

2006 Oregon Upland Game Bird Expanded Harvest by Harvest Unit ¹									
Species		Area 1	Area 2	Area 3	Area 4	Area 5	Area 6	Area 7	Total
Blue Grouse	Hunters	8,505	4,309	2,608	2,268	5,670	907	907	17,236
	Days	54,359	24,969	9,173	12,200	18,942	2,356	3270	125,269
	Harvest	5,465	2,673	1,599	2,783	5,527	860	469	19,376
Ruffed Grouse	Hunters	10,432	5,670	2,948	2,268	5,556	907	794	21,658
	Days	70,336	30,168	11,187	14,420	17,458	2,459	2433	148,461
	Harvest	16,429	9,312	5,086	3,387	5,534	615	342	40,705
Mountain Quail	Hunters	3,969	3,288	1,134	794	227	340		8,051
	Days	26,003	20,892	2,228	2,407	856	800		53,186
	Harvest	7,112	13,089	2,766	2,359	1,076	636		27,038
California Quail	Hunters	2,381	1,361	3,402	1,588	1,361	1,134	4,309	11,680
	Days	15,720	7,983	13,756	7,308	3,326	4,256	27,940	80,287
	Harvest	98	2,271	19,682	9,526	2,822	17,612	65,317	117,328
Chukar	Hunters			3,515	2,154	1,928	907	7,824	12,247
	Days			17,174	8,543	8,576	2,983	47,182	84,458
	Harvest			22,083	8,037	13,265	5,339	95,196	143,920
Gray Partridge	Hunters			2,041	454	907		1588	3,062
	Days			7,771	1677	3,201		8,815	21,464
	Harvest			3,156	710	1,763		2585	8,214
Pheasant	Hunters	1,814	454	6,917	1361	1,928	1,134	6,237	13,267
	Days	4,695	3233	20,802	4,576	6,397	4,233	22,778	66,714
	Harvest	1,020	208	13,055	2,131	3,150	1715	19,516	40,795

Note: These data are derived from monthly phone surveys and end of season surveys. Currently, the expansion for number of hunters by hunt unit may lack precision. We are looking at ways to improve precision. These changes would not affect estimate for total hunters by species.

¹ Harvest Units Area 1 - Includes Lane Co. and all Cos N. and W. of crest of Cascades

Area 2 - All of SW OR counties west of crest of Cascades

Area 3 - North Central OR Cos. (Hood, Wasco, Sherman, Gilliam, Morrow, & Umatilla).

Area 4 - Central OR Cos. (Deschutes, Crook, Jefferson, Wheeler & Grant).

Area 5 - NE OR Cos. (Wallowa, Union, & Baker).

Area 6 - Klamath and Lake Cos.

Area 7 - Harney and Malheur Cos.

² Due to change in regulations, but not survey methods, California and mountain quail harvest could not be separated for some units in 2005, thus all quail harvest data was pooled (in 2005).

% Change from 2005
20.8%
-32.3%
-41.5%
7.8%
-39.5%
-52.0%
unk ²
unk ²
unk ²
unk ²
unk ²
unk ²
-6.7%
-26.9%
-35.0%
3.2%
-19.6%
-52.6%
-11.2%
-27.7%
-33.4%